

Product/Part number: 8203431

Inductive loads (Blue)

3.100%

7.53W

1.47W

Comment/Result: PASS

Dimmer compatibility test

Project ID:

Date:Oct-25th-2022

Stable dimming performance and there is invisible flicker

during dimming; The light can

be dimmed from 18%.-100%

7.5W

1.6W

10.1W

Tested by:Tuan

					820343	81-NO.	1				820343	1-NO.	.2			
No. Bra	Mode①	Mode(2)			6W/230V			9W/230V			6W/230V		1	9W/230V		
			Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	
		1.Progressive switch-off	6.14W	1.8W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.85W	2.03W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%	6.1W	1.82W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.84W	2.04W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%	6.09W	
	Fluocompact*	2.Night light	6.13W	1.81W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.86W	2.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%	6.11W	1.83W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.82W	2.06W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%	6.07W	
	(Yellow)	3. 100%	6.14W	1.8W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.89W	2.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%	6.12W	1.82W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.86W	2.03W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%	6.09W	
		4.No function	6.14W	1.82W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.85W	2.05W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%	6.12W	1.83W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.84W	2.05W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%	6.08W	
		1.Progressive switch-off	6.22W	1.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.85W	1.35W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%	6.19W	1.13W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.83W	1.35W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%	6.11W	
	Capacitive loads(CFL)	2.Night light	6.2W	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.86W	1.35W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%	6.18W	1.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.84W	1.32W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%	6.13W	
	(Purple)	3. 100%	6.21W	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.85W	1.36W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%	6.22W	1.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.85W	1.35W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%	6.11W	
		4.No function	6.2W	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.84W	1.35W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%	6.19W	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.86W	1.32W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%	6.1W	
		1.Progressive switch-off	7.51W	1.49W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	10.1W	1.6W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	7.6W	1.48W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	10.14W	1.6W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	7.5W	
	Inductive loads	2.Night light	7.51W	1.48W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	10.05W	1.57W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%100%	7.58W	1.49W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	10.09W	1.61W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%100%	7.49W	

Stable dimming performance

and there is invisible flicker

during dimming;The light can

be dimmed from 18%.-100%

7.5W

0.05W 1.62W

Stable dimming performance and there is invisible flicker

during dimming;The light can

be dimmed from 25%.-100%

Stable dimming performance

and there is invisible flicker during dimming;The light can

be dimmed from 25%.-100%

		820343	31-NO.	3	
		6W/230V			9W/230V
	Min	Remark	Max	Min	Remark
,	1.81W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.82W	2.01W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%
7	1.78W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.84W	2.04W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%
r	1.82W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.84W	2.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%
-	1.8W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 30%100%	8.82W	2.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%98%
,	1.11W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.84W	1.32W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%
,	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.82W	1.35W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%
r	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.84W	1.35W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%
	1.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.84W	1.32W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%99%
	1.45W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	10.19W	1.56W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%
,	1.48W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	10.12W	1.6W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%100%
	1.46W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	10.12W	1.6W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%



Product/Part number: 8203431

Comment/Result: PASS

Dimmer compatibility test

Project ID:

Date:Oct-25th-2022

be dimmed from 15%.-98%

Tested by:Tuan

Γ							820343	1-NO.	1				820343	1-NO.	2			
	No. Br	a Iter 1 No	I NIODE(1)	Mode(2)			6W/230V			9W/230V			6W/230V			9W/230V		
					Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min
				4.No function	7.49W	1.48W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	10.06W	1.61W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	7.53W	1.48W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	10.08W	1.61W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	7.5W	1.49W
	EVN012 hager		1.Progressive switch-off	7.48W	1.96W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 33%100%	10.15W	2.19W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 24%100%	7.59W	1.89W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 32%100%	10.23W	2.26W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	7.63W	1.95W	
		EVI	LED load	2.Night light	7.57W	1.95W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 33%100%	10.13W	2.21W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	7.55W	1.9W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 33%100%	10.19W	2.23W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	7.58W	1.92W
	I Ger	NO17	(Red)	3. 100%	7.57W	1.93W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 33%100%	10.15W	2.22W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	7.61W	1.95W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 33%100%	10.22W	2.21W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	7.63W	1.95W
				4.No function	7.54W	1.95W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 33%100%	10.13W	2.21W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	7.58W	1.92W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 33%100%	10.15W	2.23W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	7.58W	1.93W
				1.Progressive switch-off	6.22W	1.46W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 24%100%	8.93W	1.63W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%99%	6.23W	1.41W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 24%100%	8.83W	1.67W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%98%	6.11W	1.39W
			Load traching(CFL+L	2.Night light	6.13W	1.39W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%100%	8.84W	1.67W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%98%	6.15W	1.46W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%100%	8.86W	1.7W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%98%	6.11W	1.43W
			ED) (Green)	3. 100%	6.11W	1.46W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 24%100%	8.86W	1.7W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%98%	6.13W	1.43W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 24%100%	8.84W	1.74W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%98%	6.09W	1.46W
				4.No function	6.12W	1.4W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%100%	8.92W	1.74W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%99%	6.15W	1.46W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%100%	8.84W	1.67W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%98%	6.13W	1.46W
				1.Progressive switch-off	6.19W	1.07W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	8.84W	1.29W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 14%98%	6.12W	1.07W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	8.83W	1.29W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 14%98%	6.19W	1.12W
				2.Night light	6.13W	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%-100%	8.86W	1.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 14%-98%	6.15W	1.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%-100%	8.86W	1.32W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-98%	6.13W	1.12W

be dimmed from 14%.-98%

be dimmed from 19%.-100%

be dimmed from 19%.-100%

Factory reset

			820343	1-NO.	3	
			6W/230V		_	9W/230V
	Max	Min	Remark	Max	Min	Remark
1	7.5W	1.49W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%	10.1W	1.61W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%
1	7.63W	1.95W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 33%100%	10.22W	2.21W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%
1	7.58W	1.92W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 33%100%	10.19W	2.21W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%
1	7.63W	1.95W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 33%100%	10.2W	2.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%
1	7.58W	1.93W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 33%100%	10.16W	2.21W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 25%100%
1	6.11W	1.39W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%100%	8.83W	1.7W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%98%
1	6.11W	1.43W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%100%	8.84W	1.69W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%98%
1	6.09W	1.46W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 24%100%	8.82W	1.7W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%98%
1	6.13W	1.46W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 23%100%	8.84W	1.67W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%98%
1	6.19W	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	8.83W	1.32W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 14%98%
1	6.13W	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.84W	1.3W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%98%



Product/Part number: 8203431

ON

6.19W

Funciton is available

8.72W

Funciton is available

6.15W

Funciton is available

8.82W

Funciton is available

6.13W

Comment/Result: PASS

Dimmer compatibility test

Project ID:

Date:Oct-25th-2022

Tested by:Tuan

							820343	1-NO.	1				820343	1-NO.	2			
N	o. Bra	Item No.	Mode①	Mode(2)			6W/230V			9W/230V			6W/230V			9W/230V		
					Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	
			(White)	3. 100%	6.2W	1.09W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	8.82W	1.26W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 14%98%	6.19W	1.07W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	8.84W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 14%98%	6.21W	
				4.No function	6.12W	1.16W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.82W	1.35W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%98%	6.11W	1.19W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.86W	1.32W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%98%	6.13W	
	2 hager	EVN011			6.22W	1.11W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.84W	1.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 14%98%	6.13W	1.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.83W	1.31W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%98%	6.08W	
			AUTO				Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility		t
		EU	EC1				Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility		
	e	DI	EC2				Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility		1
	3 eltako UDI 2NPN		LC1				Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility		T
	0	Ž-U	LC2				Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility		T
		JC	LC3				Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility		t
			EUD		6.14W		Can be lighted up but non- dimmable	8.95W		Can be lighted up but non- dimmable	6.13W		Can be lighted up but non- dimmable	8.83W		Can be lighted up but non- dimmable	6.2W	Ī
			RTD				Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility		
			ESV		6.11W		Can be turned on/off but non-dimmable;The timing switch is available.	8.94W		Can be turned on/off but non- dimmable;The timing switch is available.	6.13W		Can be turned on/off but non- dimmable;The timing switch is available.	8.86W		Can be turned on/off but non- dimmable;The timing switch is available.	6.15W	
4	eli	EUDI	TLZ		6.13W		Can be turned on/off but non- dimmable;The timing switch is available.	8.84W		Can be turned on/off but non- dimmable;The timing switch is available.	6.12W		Can be turned on/off but non- dimmable;The timing switch is available.	8.84W		Can be turned on/off but non- dimmable;The timing switch is available.	6.1W	
	4 eltako	EUD12D-UC	MIN		6.22W		Can be turned on/off but non- dimmable	8.96W		Can be turned on/off but non- dimmable	6.18W		Can be turned on/off but non- dimmable	8.93W		Can be turned on/off but non- dimmable	6.2W	
			MMX		6.24W		Can be turned on/off but non- dimmable	8.95W		Can be turned on/off but non- dimmable	6.22W		Can be turned on/off but non- dimmable	8.93W		Can be turned on/off but non- dimmable	6.16W	
			TI				Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility		
			ER				Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility		

Report by:James Tse

	820343	1-NO.	3	
	6W/230V			9W/230V
Min	Remark	Max	Min	Remark
1.11W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	8.84W	1.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 14%98%
1.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.82W	1.35W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%98%
1.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	8.81W	1.33W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%98%
	Imcompatibility			Imcompatibility
	Can be lighted up but non- dimmable	8.84W		Can be lighted up but non- dimmable
	Imcompatibility			Imcompatibility
	Can be turned on/off but non- dimmable;The timing switch is available.	8.86W		Can be turned on/off but non- dimmable;The timing switch is available.
	Can be turned on/off but non- dimmable;The timing switch is available.	8.82W		Can be turned on/off but non- dimmable;The timing switch is available.
	Can be turned on/off but non- dimmable	8.89W		Can be turned on/off but non- dimmable
	Can be turned on/off but non- dimmable	8.9W		Can be turned on/off but non- dimmable
	Imcompatibility			Imcompatibility
	Imcompatibility			Imcompatibility
	Funciton is available	8.82W		Funciton is available



Product/Part number: 8203431

Comment/Result: PASS

Dimmer compatibility test

Project ID:

Date:Oct-25th-2022

Tested by:Tuan	Report by:J
Tested oy. Tuun	reepon oy.s

							820343	31-NO.	1				820343	1-NO	.2				820343	31-NO.	.3	
No	Bra nd	a Item No.	Mode①	Mode2			6W/230V			9W/230V			6W/230V			9W/230V			6W/230V			9W/230V
					Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark
			OFF				Funciton is available			Funciton is available			Funciton is available			Funciton is available			Funciton is available			Funciton is available
			1		6.1W	0.69W	Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%100%	8.68W	0.75W	Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 8%96%	6.12W	0.65W	Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%100%	8.8W	0.76W	Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 8%96%	6.1W	0.67W	Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%100%	8.82W	0.75W	Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 8%96%
			2		6.12W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%100%	8.79W	0.48W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%98%	6.12W	0.45W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%100%	8.73W	0.42W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%97%	6.1W	0.44W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%100%	8.7W	0.45W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%97%
		C	3 Prog		6.55W	0.08W	Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 1%100%	8.37W	0.12W	Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 1%93%	6.52W	0.06W	Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 1%100%	8.42W	0.14W	Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 1%93%	6.5W		Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 1%100%	8.32W		Unstable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 1%93%
5	schneider	CCTDD20016	4 LED2		6.18W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%100%	8.79W	0.09W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 1%98%	6.19W	0.08W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%100%	8.82W	0.09W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 1%98%	6.16W	0.09W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%100%	8.8W	0.09W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 1%98%
			5 Prog				Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility			Imcompatibility
			6 Strd		6.3W	0.223	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%100%	8.78W	0.2W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%98%	6.18W	0.2W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%100%	8.8W	0.18W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%98%	6.15W	0.2W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%100%	8.82W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%98%
			7 ON		6.03W		Can be turned on but non- dimmable	8.73W		Can be turned on but non- dimmable	6W		Can be turned on but non- dimmable	8.69W		Can be turned on but non- dimmable	6.01W		Can be turned on but non- dimmable	8.71W		Can be turned on but non- dimmable
				Green	7.56W	1.57W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 26%-100%	10.05W	1.75W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	7.58W	1.57W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 26%-100%	10.05W	1.75W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	7.64W	1.58W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 26%-100%	10.12W	1.71W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%
				Orange	6.13W		Can be turned on/off but non- dimmable	8.72W		Can be turned on/off but non- dimmable	6.01W		Can be turned on/off but non- dimmable	8.81W		Can be turned on/off but non- dimmable	6.01W		Can be turned on/off but non- dimmable	8.73W		Can be turned on/off but non- dimmable
6	Legrar	0026	White	White	7.56W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 26%-100%	9.97W	1.81W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 20%-100%	7.61W	1.57W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 26%-100%	10.02W	1.78W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 20%-100%	7.53W	1.57W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 26%-100%	10.06W	1.75W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%

James Tse



Product/Part number: 8203431

Comment/Result: PASS

Dimmer compatibility test

Project ID:

Date:Oct-25th-2022

									Tested by:Tuan Rep	port by	:James	s Tse			
13	-NO.1					820343	1-NO.	2				820343	1-NO.	.3	
			9W/230V			6W/230V			9W/230V			6W/230V			9W/230V
	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark
-	8.72W		Can be turned on/off but non- dimmable	6.03W		Can be turned on/off but non- dimmable	8.79W		Can be turned on/off but non- dimmable	6.06W		Can be turned on/off but non- dimmable	8.82W		Can be turned on/off but non- dimmable
e r in n	10.05W	3.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from Max to Min position and it's 35%-100%	7.58W	2.75W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from Max to Min position and it's 44%-100%	10.12W	3.16W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from Max to Min position and it's 35%-100%	7.57W	2.68W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from Max to Min position and it's 44%-100%	10.08W	3.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from Max to Min position and it's 35%-100%
	\geq	\geq		\sum	\geq		\geq			\sum	\geq		\geq	\geq	
_	\geq	\geq		\geq	\geq		\geq	\geq		\sum	\geq		\geq	\geq	
_	\geq	\geq		\geq	\geq		\geq	\geq		\geq	\geq		\geq	\geq	
_	\searrow	\geq								\searrow			\geq		
n	8.82W	1 14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-98%	6.12W	1.04W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	8.8W	1.18W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-98%	6.14W	1.01W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%100%	8.81W	1.16W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-98%
			Incompatibility			Incompatibility			Incompatibility			Incompatibility			Incompatibility
n	9.3W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	6.62W	1.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	9.3W	1.43W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	6.54W	1.26W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	9.6W	1.45W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%
n	9.99W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	7.55W	1.68W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 29%-100%	10.02W	1.98W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	7.48W	1.72W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 29%-100%	10.05W	2.06W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 22%-100%
n	8.83W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.13W	0.31W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%-100%	8.86W	0.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.11W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%-100%	8.82W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%
n	8.92W	0.22W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%-99%	7.51W	0.22W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.89W	0.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-99%	7.45W	0.22W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.86W	0.23W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%
n	8.81W	0.29W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.12W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%-100%	8.84W	0.29W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.01W	0.3W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%-100%	8.8W	0.29W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%
n	8.92W	0.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-99%	6.18W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.96W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-99%	6.13W	0.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.84W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%

							820343	1-NO.	.1				820343	1-NO.	2				820343	1-NO.	3	
No		Item No.	Mode(1)	Mode2			6W/230V			9W/230V			6W/230V			9W/230V			6W/230V			9W/230V
					Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark
	ndoc	71		Blue	6.12W		Can be turned on/off but non- dimmable	8.72W		Can be turned on/off but non- dimmable	6.03W		Can be turned on/off but non- dimmable	8.79W		Can be turned on/off but non- dimmable	6.06W		Can be turned on/off but non- dimmable	8.82W		Can be turned on/off but non- dimmable
				Red	7.64W	2.65W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from Max to Min position and it's 44%-100%	10.05W	3.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from Max to Min position and it's 35%-100%	7.58W	2.75W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from Max to Min position and it's 44%-100%	10.12W	3.16W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from Max to Min position and it's 35%-100%	7.57W	2.68W	Stable dimming performance and there is invisible flicker during dimming; The light can be dimmed from Max to Min position and it's 44%-100%	10.08W	3.14W	Stable dimming performance and there is invisible flicker during dimming; The light can be dimmed from Max to Min position and it's 35%-100%
			Red		\geq	\geq		\geq	\triangleright		\geq	\geq		\geq	\geq		\geq	\geq		\geq	\sum	
			Green		\triangleright	\geq		\vdash	\triangleright		\triangleright	\vdash		\geq	\triangleright		\vdash	\triangleright		$\left \right\rangle$	$\left \right\rangle$	
			Orange Blue		\triangleright	\geq		\triangleright	\triangleright		\triangleright	\triangleright		\geq	\triangleright		\triangleright	\triangleright		>	\sim	
			1		6.18W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	8.82W	1.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-98%	6.12W	1.04W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	8.8W	1.18W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-98%	6.14W	1.01W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%100%	8.81W	1.16W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-98%
			2				Incompatibility			Incompatibility			Incompatibility			Incompatibility			Incompatibility			Incompatibility
7			CFLI1		6.44W	1.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	9.3W	1.46W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	6.62W	1.14W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 19%100%	9.3W	1.43W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	6.54W	1.26W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	9.6W	1.45W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%
		31	CFLI2		7.53W	1.75W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 29%-100%	9.99W	2.01W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	7.55W	1.68W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 29%-100%	10.02W	1.98W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	7.48W	1.72W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 29%-100%	10.05W	2.06W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 22%-100%
7	NiKO	310-00700	LED1		6.16W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%-100%	8.83W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.13W	0.31W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%-100%	8.86W	0.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.11W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%-100%	8.82W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%
			LED2		7.48W	0.22W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.92W	0.22W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%-99%	7.51W	0.22W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.89W	0.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-99%	7.45W	0.22W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.86W	0.23W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%
			LED3		6.06W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%-100%	8.81W	0.29W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.12W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%-100%	8.84W	0.29W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.01W	0.3W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 5%-100%	8.8W	0.29W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%
			LED4		6.31W	0.26W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.92W	0.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-99%	6.18W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.96W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-99%	6.13W	0.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.84W	0.27W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%



Product/Part number: 8203431

Comment/Result: PASS

Dimmer compatibility test

Project ID:

Date:Oct-25th-2022

Tested by:Tuan

							820343	31-NO.	1				820343	1-NO.	2				820343	31-NO.	3	
No	Bra nd	Item No.	Mode①	Mode2			6W/230V			9W/230V			6W/230V		_	9W/230V		_	6W/230V			9W/230V
					Max	Min	Remark	Max	Min	n Remark	Max	Min	n Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark
8	NiKO	310-04900			6.55W	1.26W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	9.21W	1.39V	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	6.48W	1.17W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 20%-100%	9.22W	1.42W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	6.52W	1.18W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 20%-100%	9.31W	1.47W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%
9	NiKO	310-02800			6.58W	0.54W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 9%-100%	9.36W	0.631	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%-100%	6.47W	0.56W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 9%-100%	9.45W	0.63W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%-100%	6.51W	0.58W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 9%-100%	9.36W	0.58W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%-100%
			DEFAULT 1		7.63W	2.57W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 43%-100%	10.05W	3.11V	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 35%-100%	7.55W	2.73W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 45%-100%	10.09W	3.4W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 38%-100%	7.58W	2.56W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 43%-100%	10.03W	3.15W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 35%-100%
			HALO LED2		7.63W	2.5W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 42%-100%	10.07W	3.091	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 34%-100%	7.58W	2.67W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 42%-100%	10.07W	3.15W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 35%-100%	7.55W	2.55W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 42%-100%	10.09W	3.21W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 35%-100%
			Transformer LED3		7.62W	1.66W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 28%-100%	10.06W	1.550	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%100%	7.75W	1.41W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 24%100%	10.12W	1.63W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	7.61W	1.62W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 27%-100%	10.06W	1.6W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%
10	NiF	310-0	LED4		5.8W	1.08W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%-97%	7.41W	1.281	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%-82%	5.69W	1.08W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%-95%	7.46W	1.31W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%-82%	5.74W	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%-95%	7.43W	1.35W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%-82%
	ViKO	310-02900	Transformer LED5		6.73W	0.95W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	9.25W	1.131	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-100%	6.67W	1.08W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	9.31W	1.16W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-100%	6.73W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	9.23W	1.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-100%
			LED6		7.66W	1.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	9.97W	1.491	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%100%	7.58W	1.21W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	10.03W	1.58W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%100%	7.55W	1.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	10.06W	1.63W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%100%
			LED7		6.71W	0.97W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	9.25W	1.14V	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-100%	6.77W	1.06W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	9.31W	1.21W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-100%	6.69W	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	9.28W	1.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-100%
			LED8		7.64W	1.27W	Stable dimming performance and there is invisible flicker during dimming; The light can be dimmed from 21%-100%	9.96W	1.37V	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	7.75W	1.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	10.12W	1.47W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	7.68W	1.31W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	10.03W	1.43W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%



Product/Part number: 8203431

Comment/Result: PASS

Dimmer compatibility test

Project ID:

Date:Oct-25th-2022

Tested by:Tuan

Γ								820343	1-NO.	1				820343	31-NO.	2			
	No.	Bra nd	Item No.	Mode①	Mode(2)			6W/230V			9W/230V			6W/230V			9W/230V		
		No. LED1 LED3 * LED3 * LED4* LED5 LED6			Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max		
				LED1		6.07W	0.91W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	8.84W	1.41W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-98%	6.04W	0.93W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	8.71W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	6.04W	
				LED2				Incompatibility			Incompatibility			Incompatibility			Incompatibility		
				LED3 *		6.64W	1.07W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	9.24W	1.44W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	6.48W	1.12W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	9.31W	1.54W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	6.52W	
11			31	LED4*		7.56W	1.74W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 29%-100%	10.06W	1.96W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	7.63W	1.78W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 29%-100%	10.04W	1.73W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	7.56W	
	11	NiKO	0-01900	LED5		6.05W	0.36W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 6%-100%	8.78W	0.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.03W	0.32W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 6%-100%	8.82W	0.3W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.01W	
11			-	LED6		7.49W	0.18W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%100%	10.12W	0.18W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%100%	7.55W	0.18W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%100%	10.09W		Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%100%	7.51W	
			-	LED7*		6.06W	0.26W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.81W	0.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.03W	0.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.84W	0.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%	6.01W	
			-	LED8*		7.51W	0.22W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	10.03W	0.2W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%100%	7.55W	0.24W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	10.06W	0.25W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%100%	7.61W	
				Preset levels mode		4.94W	1.7W	Can be turned on but non- dimmable	9.02W	2.09W	Can be turned on but non- dimmable	4.99W	1.74W	Can be turned on but non- dimmable	8.98W	2.16W	Can be turned on but non- dimmable	4.95W	
	12	bticino	N4411N	Preset levels mode+night mode		4.98W	1.84W	Can be turned on but non- dimmable	8.94W	2.1W	Can be turned on but non- dimmable	5.03W	1.82W	Can be turned on but non- dimmable	9.01W	2.1W	Can be turned on but non- dimmable	4.98W	Ī
				Dimming mode		6.44W	0.9W	Stable dimming performance and there is invisible flicker during dimming. The light can	9.1W	1.08W	Stable dimming performance and there is invisible flicker during dimming. The light can	6.52W	0.95W	Stable dimming performance and there is invisible flicker during dimming. The light can	9.06W	1.16W	Stable dimming performance and there is invisible flicker during dimming. The light can	6.45W	,

during dimming;The light can

be dimmed from 12%-100%

during dimming;The light can

be dimmed from 15%-100%

during dimming;The light can

be dimmed from 15%-100%

during dimming;The light can

be dimmed from 12%-100%

		820343	1-NO.	3							
		6W/230V	9W/230V								
Max	Min	Remark	Max	Min	Remark						
6.04W	0.9W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	8.83W	1.26W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 14%98%						
		Incompatibility			Incompatibility						
6.52W	1.08W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%100%	9.25W	1.46W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%						
7.56W	1.72W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 29%-100%	10.01W	1.75W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 22%-100%						
6.01W	0.35W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 6%-100%	8.82W	0.32W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%						
7.51W	0.18W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%100%	10.03W	0.21W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%100%						
6.01W	0.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	8.82W	0.28W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 3%-98%						
7.61W	0.22W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 4%-100%	10.03W	0.22W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 2%100%						
4.95W	1.74W	Can be turned on but non- dimmable	9.03W	2.05W	Can be turned on but non- dimmable						
4.98W	1.84W	Can be turned on but non- dimmable	9.03W	2.11W	Can be turned on but non- dimmable						
6.45W	0.95W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	9.01W	1.08W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 12%-100%						



Product/Part number: 8203431

be dimmed from 17%-100%

Comment/Result: PASS

Dimmer compatibility test

Project ID:

Date:Oct-25th-2022

be dimmed from 12%-100%

Tested by:Tuan

							820343	1-NO.	1				820343	31-NO	.2				
N	o. Bra	Item No.	Mode(1)	Mode2			6W/230V			9W/230V			6W/230V			9W/230V			
					Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	ı
1	3 bticino	N4408N					Incompatibility			Incompatibility			Incompatibility			Incompatibility			
			LED1		7.69W	1.7W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 28%-100%	10.09W	1.94W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	7.82W	1.76W	Stable dimming performance and there is invisible flicker during dimming; The light can be dimmed from 29%-100%	9.65W	1.89W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	7.66W	7 1.74W	W
			HALO LED2				Incompatibility			Incompatibility			Incompatibility			Incompatibility			
			Transformer LED3*				Incompatibility			Incompatibility			Incompatibility			Incompatibility			
			LED4		5.88W	0.44W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%-98%	7.41W	0.61W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%-82%	5.91W	0.57W	Stable dimming performance and there is invisible flicker during dimming; The light can be dimmed from 10%-99%	7.44W	0.52W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%-82%	5.89W	0.54V	N
1	4 NiKO	310-03900	Transformer LED5		6.53W	0.53W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 9%-100%	9.24W	0.59W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%-100%	6.43W	0.49W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 9%-100%	9.31W	0.64W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%-100%	6.54W	0.56V	w
			LED6		7.64W	0.61W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 9%-100%	10.11W	0.63W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%100%	7.68W	0.65W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 9%-100%	10.09W	0.63W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%100%	7.61W	7 0.63W	W
			LED7*		6.38W	0.58W	There is always visible flicker during dimming.	9.11W	0.59W	There is always visible flicker during dimming.	6.43W	0.58W	There is always visible flicker during dimming.	9.06W	0.61W	There is always visible flicker during dimming.	6.31W	0.580	w
			LED8*		7.54W	0.63W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	10.09W	0.68W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 8%-100%	7.58W	0.58W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	10.11W	0.63W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 8%-100%	7.49W	0.580	W
1	elt	EUD61N	P-AB		6.54W	0.93W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	9.23W	1.01W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	6.66W	0.95W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	9.39W	1W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	6.56W	7 0.95W	N
	5 cltako	EUD61NPL-230V	P-AN		7.98W	1.04W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.34W	1.04W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 12%-100%	7.76W	1.01W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.38W	1.06W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 12%-100%	7.83W	7 1.04V	W

be dimmed from 17%-100%

be dimmed from 12%-100%

Report by:James Tse

		820343	31-NO.	3	
		6W/230V			9W/230V
Max	Min	Remark	Max	Min	Remark
		Incompatibility			Incompatibility
7.66W	1.74W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 29%-100%	10.01W	1.94W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 22%-100%
		Incompatibility			Incompatibility
		Incompatibility			Incompatibility
5.89W	0.54W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 10%-99%	7.48W	0.54W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%-82%
6.54W	0.56W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 9%-100%	9.24W	0.61W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%-100%
7.61W	0.63W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 9%-100%	10.12W	0.63W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 7%100%
6.31W	0.58W	There is always visible flicker during dimming.	9.14W	0.58W	There is always visible flicker during dimming.
7.49W	0.58W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	10.12W	0.61W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 8%-100%
6.56W	0.95W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	9.28W	1.04W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%
7.83W	1.04W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.26W	1.06W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 12%-100%



Product/Part number: 8203431

LC1

LC2

EUD61N

eltɛ 18

Comment/Result: PASS

Dimmer compatibility test

Project ID:

Date:Oct-25th-2022

Stable dimming performance

during dimming;The light can

be dimmed from 12%-100%

Stable dimming performance

during dimming;The light can

be dimmed from 12%-100%

and there is invisible flicker

and there is invisible flicker

10.15W 1.02W

10.08W 1.06W

Tested by:Tuan

							820343	1-NO.	1				820343	1-NO.	2			
N	o. Bi		Mode(1)	Mode(2)			6W/230V			9W/230V			6W/230V			9W/230V		
					Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min
]	6 citako	UD61NP-230			6.75W	1.44W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 24%-100%	9.42W	1.63W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%-100%	6.68W	1.42W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 24%-100%	9.45W	1.61W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%-100%	6.63W	1.42W
			AUTO		6.58W	0.79W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-100%	9.06W	0.96W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	6.11W	0.91W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	9.03W	0.98W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	6.23W	0.95W
			LC1		7.6W	0.99W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.04W	1W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	7.59W	0.99W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.06W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	7.55W	0.98W
	7	EUD61NPN-230V	LC2		7.59W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.07W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	7.63W	0.99W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.04W	1.04W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	7.59W	1.02W
		PN-230V	LC3		7.53W	0.99W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.07W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	7.58W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.12W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	7.61W	1W
			EC1		6.56W	1.28W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	9.02W	1.46W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	6.61W	1.32W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	9.02W	1.42W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 16%-100%	6.62W	1.28W
			EC2		6.65W	1.29W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	9.03W	1.52W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	6.59W	1.28W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	8.98W	1.46W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 16%-99%	6.65W	1.28W
			AUTO		6.53W	0.77W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 13%-100%	9.15W	0.95W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	6.58W	0.9W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	9.21W	0.99W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%	6.61W	0.91W

Stable dimming performance

and there is invisible flicker

during dimming;The light can

be dimmed from 12%-100%

Stable dimming performance

during dimming;The light can

be dimmed from 12%-100%

and there is invisible flicker

0.11W 1.04W

0.13W 1.05W

Stable dimming performance

and there is invisible flicker

during dimming;The light can

be dimmed from 17%-100%

Stable dimming performance

during dimming;The light can

be dimmed from 17%-100%

7.63W 1.02W and there is invisible flicker

7.63W 1.02W

Stable dimming performance

and there is invisible flicker during dimming;The light can

be dimmed from 17%-100%

Stable dimming performance

and there is invisible flicker

during dimming;The light can

be dimmed from 17%-100%

7.6W

7.66W

1.04W

0.99W

		820343	1-NO.	3							
		6W/230V	9W/230V								
Max	Min	Remark	Max	Min	Remark						
6.63W	1.42W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 24%-100%	9.36W	1.65W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 18%-100%						
6.23W	0.95W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	9.1W	0.98W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%						
7.55W	0.98W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.03W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%						
7.59W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.06W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%						
7.61W	1 W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.06W	1.04W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%						
6.62W	1.28W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	9.05W	1.46W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 16%-100%						
6.65W	1.28W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	9.01W	1.5W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 17%-100%						
6.61W	0.91W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 15%-100%	9.16W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 11%-100%						
7.58W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.09W	1.06W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 12%-100%						
7.69W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.11W	1W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 12%-100%						



No.

Project Name:Dimtest

Product/Part number: 8203431

Comment/Result: PA

Bra Item nd No.

ıko

NPN-UC

Dimmer compatibility test

Project ID:

Date:Oct-25th-2022

PASS													Tested by:Tuan Rep	port by	:James	s Tse			
		8203431-NO.1								820343		8203431-NO.3							
Mode①	Mode2	6W/230V				9W/230V			6W/230V			9W/230V				6W/230V		9W/230V	
		Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark	Max	Min	Remark
LC3		7.69W	1.01W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.15W	1.04W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 12%-100%	7.59W	0.99W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.15W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 12%-100%	7.63W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	10.08W	1.02W	Stable dimming performance and there is invisible flicker during dimming;The light can be dimmed from 12%-100%
EC1		6.47W	1.33W	Slow dimming reaction and there is invisible flicker during dimming; The light can be dimmed from 22%-100%	9.28W	1.56W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	6.53W	1.28W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	9.31W	1.46W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 17%-100%	6.56W	1.28W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 22%-100%	9.23W	1.52W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 17%-100%
EC2		6.63W	1.27W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	8.81W	1.49W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 17%-98%	6.58W	1.28W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	8.89W	1.46W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 17%-90%	6.53W	1.32W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 21%-100%	8.86W	1.46W	Slow dimming reaction and there is invisible flicker during dimming;The light can be dimmed from 17%-90%
compatible	e dimmers a	re as	s foll	ows: 1/2/5(2; 4LE	ED2,	6 St	rd mode)/6(White	e mo	de:	Green, White)/7	7(1,	CFL	.I1,CFLI2,LED1,	LED	2,Ll	ED3, LED4 mode	e)/8/	/9/10)/11(LED1 ,

Luminaire-co LED3*, LED4*, LED5, LED6, LED7*, LED8* mode)/12 (Dimming modemode) /14(LED 1,LED4;Transformer LED5, LED6, LED8* mode)/15/16/17(AUTO, LC1,LC2,LC3, mode)/18(AUTO, LC1,LC2,LC3, mode)