

fantasia
premium collection
3rd EDITION

PREMIUM CATALOG EDITION 2027-2028

PRODUCT COORDINATION

Fantasia Light Designers

premium

Our philosophy is simple: LIGHT FOR EVERYONE

At Fantasia, we live and breathe light. Since 1952, we have been designing lighting that does more than illuminate, it gives spaces character. We believe design and beauty should not be reserved for the happy few, but accessible to everyone wishing to enrich their living environment.

Light is never a detail: it defines the mood, the architecture and the soul of a space.

As a Belgian family business, now led by the fourth generation, we create lighting that blends architectural sophistication with accessible quality.





































Every Fantasia Premium piece combines refined aesthetics with honest pricing, 5 year warranty, distinctive design, coherent across collections and built with reliability at its core.

























This Premium catalogue embodies that promise. Architectural lighting for residential and commercial projects, sophisticated and designed to endure. Quality that speaks for itself, pricing that makes sense. Premium proves that architectural lighting can be both uncompromising and accessible.

See what's new















INDEX

<p>PENDANTS</p>	 <p>BATON 007</p>	 <p>DAXOS 013</p>	 <p>ELYSIUM 021</p>	 <p>FONIC 025</p>	 <p>ITZU 029</p>
 <p>JUTTU 033</p>	 <p>LOPAL 037</p>	 <p>MIRAGO 055</p>	 <p>NOBU 059</p>	 <p>ORBIT 066</p>	 <p>SEROX 071</p>
 <p>XOLO 075</p>	 <p>ZOLAN 083</p>	<p>CEILING SURFACE</p>	 <p>BATON 010</p>	 <p>BOX 085</p>	 <p>DAXOS 017</p>
 <p>ZOLAN 079</p>	<p>SPOTS</p>	 <p>AEON 091</p>	 <p>LOPAL 037</p>	 <p>NYSAL 099</p>	 <p>NYSIT 113</p>
 <p>XANDAR 127</p>	<p>RECESSED SPOTS</p>	 <p>ZOOM 133</p>	 <p>ZOOM AR111 139</p>	<p>WALL LIGHTS</p>	 <p>ENSO 143</p>
 <p>LOPAL 042</p>	 <p>NOMA 148</p>	 <p>ORBIT 065</p>	 <p>TALU 153</p>	<p>FLOOR & TABLE LIGHTS</p>	 <p>AKO 157</p>
 <p>AXION 161</p>	 <p>BATON 011</p>	 <p>DAXOS 019</p>	 <p>JUTAI 169</p>	 <p>LOPAL 048</p>	 <p>NOMA 169</p>

 NYSAL 108	 VERTIGE 171	TRACKS	 INFINITUS 177	 JUTAI 166	 LINAR 183
 LUX LINE 187	 LOPAL 190	 NYSAL 191	 NYSIT 192	 ORBIT 193	 XANDAR 195
 MICRO LINE 197	 LOPAL 202	 NYSAL 203	 ORYX 204	 TABOO 205	BATHROOM
 XIA 209	OUTDOOR	 SANTINI 219	 ATHMOS 223	 CANA 227	 ENOKI 231
 SHITAKE 235	 XAMBO 239	 24V ACCESORIES 242			

SYMBOLS

	This light fixture has to be earthed.		This light fixture is sold with GU10 bulbs.
	This light fixture does not have to be earthed.		This light fixture is sold without GU10 bulbs.
	This light fixture is dimmable, using TRIAC dimming.		This light fixture is sold without E27 bulbs.
	The standard driver in this light fixture can be changed to a DALI dimmable driver.		This light fixture is sold without MR11 bulbs.
	This light fixture is sold with a preinstalled LED chip.		This light fixture is sold with AR111 bulbs.
			This light fixture is sold without G9 bulbs.



CEILING, WALL & COMBINATIONS







baton

Baton features anti-glare technology without compromising on light output.

Lens and honeycomb modules provide absolute comfort, whilst the top diffuses soft, indirect light.





Switch to crystal lenses for added sparkle.



TECHNICAL INFORMATION

	3435110	3435111	3435112
Light source	Led chip included	Led chip included	Led chip included
Power <small>(light source)</small>	33 Watt	36 Watt	45 Watt
Lumen <small>(light source)</small>	4550 Lumen	5050 Lumen	5850 Lumen
Light colour	3000K	3000K	3000K
Driver	Included (3419063)	Included (3419069)	Included (3419064)
Dimmable	TRIAC	TRIAC	TRIAC
Material	Aluminium	Aluminium	Aluminium
Colour	■ Matt black	■ Matt black	■ Matt black





TECHNICAL INFORMATION

Light source
Power (light source)
Lumen (light source)
Light colour
Driver
Dimmable
Material
Colour


3435113

Led chip included
 36,5 Watt
 5200 Lumen
 3000K
 Included (3419069)
 TRIAC
 Aluminium
 ■ Matt black

3435114


Led chip included
 45,5 Watt
 6150 Lumen
 3000K
 Included (3419064)
 TRIAC
 Aluminium
 ■ Matt black





Different inserts included with every Baton:

- Black with honeycomb anti-glare.
- Gold for extra warmth with honeycomb anti-glare.
- See-through reflective, adds an extra crystal sparkle effect to the light.




TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour


Led chip included
 26 Watt (light source)
 3650 Lumen (light source)
 3000K
 Included (3419062)
 TRIAC
 Aluminium
 ■ Matt black






Touch dimmer included
Stepless dimming 0-100%

3435118



TECHNICAL INFORMATION

Light source	Led chip included
Power	25 Watt (light source)
Lumen	2066 Lumen (light source)
Light colour	3000K
Driver	Included
Dimmable	Touch dimmer 0-100%
Material	Aluminium
Colour	 Matt black





daxos

Thanks to its diamond shape Daxos creates a play of light and shadow.


Available in various sizes for both small and large spaces.

Combine several in a cluster as an eye-catching feature above counters; tables or in meeting rooms, or use them individually above dining tables and in the hospitality sector.





3403562



TECHNICAL INFORMATION


Light source
Power
Dimmable
Material
Colour

E27 not included
Max 60 Watt per bulb
Depends on light source
Steel
■ Matt black



E27
not included

3403561



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour


E27 not included
 Max 60 Watt per bulb
 Depends on light source
 Steel
 Matt black



E27
 not included



3403560



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

E27 not included
Max 60 Watt per bulb
Depends on light source
Steel
■ Matt black



E27
not included




3403563

TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

E27 not included
 Max 60 Watt per bulb
 Depends on light source
 Steel
 Matt black



E27
 not included




3403565

Plug and switch included.


Dimmer for table lamps available separately.
3419060: Rotary LED dimmer 3-25 Watt

TECHNICAL INFORMATION




Light source
Power
Dimmable
Material
Colour

E27 not included
Max 60 Watt per bulb
No
Steel
■ Matt black



E27
not included



3403566

Plug and switch included.





Dimmer for floor lamps available separately.
3419061: LED dimmer 5-100 Watt

TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

E27 not included
Max 60 Watt per bulb
No
Steel
■ Matt black



E27
not included



elysium



Elysium is a true statement piece, distinguished by its distinctive dish form with ripple effect.

The fixed LED module and driver in the body provide directed downlight.

Perfect above a dining or coffee table, a meeting table, or in the entrance of a hotel or restaurant.



3432177



3432178



TECHNICAL INFORMATION

	3432177	3432178
Light source	Led chip included	Led chip included
Power	10 Watt <small>(light source)</small>	13,5 Watt <small>(light source)</small>
Lumen	1440 Lumen <small>(light source)</small>	1990 Lumen <small>(light source)</small>
Light colour	2700K	2700K
Driver	Included	Included
Dimmable	TRIAC	TRIAC
Material	Aluminium	Aluminium
Colour	■ Matt black	■ Matt black






fonic


Fonic is an elongated felt pendant, designed to hang above long tables.

The fixed LED module with anti-glare lens distributes light evenly across its full length.

The felt, made from recycled PET bottles, improves acoustics and is flame retardant.




Perfect above meeting tables, in restaurants or in an entrance hall.





FELT

The Fonic pendants have felt on both sides off the pendant.





3432166

TECHNICAL INFORMATION

Light source	Led chip included
Power	19 Watt (light source)
Lumen	3020 Lumen (light source)
Light colour	2700K
Driver	Included
Dimmable	TRIAC
Material	Aluminium + felt
Colour	<div style="display: flex; align-items: center; gap: 10px;"> <div style="width: 15px; height: 15px; background-color: black; border: 1px solid black;"></div> + <div style="width: 15px; height: 15px; background-color: #c85130; border: 1px solid black;"></div> + <div style="width: 15px; height: 15px; background-color: #a9a9a9; border: 1px solid black;"></div> Matt black / light brown / light grey </div> <div style="display: flex; align-items: center; gap: 10px; margin-top: 5px;"> <div style="width: 15px; height: 15px; background-color: black; border: 1px solid black;"></div> + <div style="width: 15px; height: 15px; background-color: black; border: 1px solid black;"></div> + <div style="width: 15px; height: 15px; background-color: #a9a9a9; border: 1px solid black;"></div> Matt black / dark grey / light grey </div>





itZU

Itzu stands out through its organic form: a polygon in felt that looks soft and warm.

The fixed LED module with anti-glare lens delivers directed downlight.

The felt, made from recycled PET bottles, improves acoustics and is flame retardant.


A statement piece above a large table or in the entrance of a hotel, restaurant or business.





3432165

FELT
The Itzu pendants have felt on both sides off the pendant.





3432164

TECHNICAL INFORMATION

Light source	Led chip included
Power	7 Watt (light source)
Lumen	1085 Lumen (light source)
Light colour	2700K
Driver	Included
Dimmable	TRIAC
Material	Aluminium + felt
Colour	<div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: black; margin-right: 5px;"></div> + <div style="width: 15px; height: 15px; background-color: #c85130; margin-right: 5px;"></div> + <div style="width: 15px; height: 15px; background-color: #a9a9a9; margin-right: 5px;"></div> Matt black / light brown / light grey </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="width: 15px; height: 15px; background-color: black; margin-right: 5px;"></div> + <div style="width: 15px; height: 15px; background-color: black; margin-right: 5px;"></div> + <div style="width: 15px; height: 15px; background-color: #a9a9a9; margin-right: 5px;"></div> Matt black / dark grey / light grey </div>





juttu

Juttu is crafted from felt and delivers pleasant, comfortable light through its fixed LED module with anti-glare lens.

The felt, made from recycled PET bottles, improves acoustics and is flame retardant.

Ideal above a desk or meeting table where design and function go hand in hand.




3432162



FELT

The Juttu pendants have felt on both sides of the pendant.



3432163



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included

6,5 Watt (light source)

610 Lumen (light source)

2700K

Included

TRIAC

Aluminium + felt

■ + ■ + ■ Matt black / light brown / light grey

■ + ■ + ■ Matt black / dark grey / light grey





lopal

Lopal was designed for interiors where accents matter, but the fitting itself must remain unobtrusively elegant.

One minimalist family, available in every conceivable format: from recessed to floor lamp.


Replaceable LED modules and a serviceable driver make Lopal a sustainable lighting choice.



4014350



4014360



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

Led chip included

4,5 Watt (light source)

365 Lumen (light source)

2700K

TRIAC

Aluminium

 Matt white

 Matt black






4014351



4014361



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

Led chip included

2x 4,5Watt (light source)

2x 365 Lumen (light source)

2700K

TRIAC

Aluminium

 Matt white

 Matt black






4014352



4014362



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

Led chip included

3x 4,5 Watt (light source)

3x 365 Lumen (light source)

2700K

TRIAC

Aluminium

 Matt white

 Matt black






4014353



4014363



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

Led chip included
 2x 4,5Watt (light source)
 2x 365 Lumen (light source)
 2700K
 TRIAC
 Aluminium
 Matt white
 Matt black




4014354



On-off switch



4014364



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

Led chip included

4,5 Watt (light source)

365 Lumen (light source)

2700K

No

Aluminium

 Matt white

 Matt black





4014113




4014114

Made for Zoom recessed spots

Use the Lopal as an input spot for Zoom recessed spots. More info on page 131

TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

Led chip included
 4,5 Watt (light source)
 365 Lumen (light source)
 2700K
 TRIAC
 Aluminium
 Matt white
 Matt black





TR0150B



TR0150W




TR0150BR



IF-TRACK SPOT

Made for IF-Tracks and Infnitus.



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

Led chip included

4,5 Watt (light source)

365 Lumen (light source)

2700K

TRIAC

Aluminium

 Matt black

 Matt white

 Brushed bronze



TR03243B




TR03243W



TR03243BR




MICRO LINE TRACK SPOT
Made for Micro Line tracks.



TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

Led chip included
4,5 Watt (light source)
365 Lumen (light source)
2700K
TRIAC
Aluminium
 Matt black
 Matt white
 Brushed bronze



Remove the canopy and use the track adapter **TR0123B/W** to use this pendant in an Infinitus or 1F-Track.

To use with the Micro Line use the track adapter **TR0323B/W**.



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

Led chip included
 4,5 Watt (light source)
 365 Lumen (light source)
 2700K
 TRIAC
 Aluminium
 Matt white
 Matt black
 Brushed bronze






4014358



4014368



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

Led chip included

4,5 Watt (light source)

365 Lumen (light source)

2700K

TRIAC

Aluminium


 Matt white

 Matt black







Touch dimmer included
 Stepless dimming 0-100%



TECHNICAL INFORMATION


Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included
 2x 4,5 Watt (light source)
 2x 365 Lumen (light source)
 2700K
 Included
 TRIAC
 Aluminium
 Matt white
 Matt black






Touch dimmer included
Stepless dimming 0-100%



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included
3x 4,5 Watt (light source)
3x 365 Lumen (light source)
2700K
Included
TRIAC
Aluminium
 Matt white
 Matt black





4014665
Gold ring



4014666
Bronze ring



4014667
Steel ring



4014369
Gold insert



Add a **touch of COLOUR**

CUSTOMIZE

with rings and discs

Add a personal touch using Lopal's optional architectural rings and discs.

Discs available in aluminium and felt. Combine an aluminium disc with a ring to safely keep it in place, or use a ring without disc as an extra accent.



4014660
Gold



4014661
Bronze



4014662
Steel



4014663
Black



ALUMINIUM DISCS FOR LOPAL

Ø200mm

4014674
Grey marble



4014675
Brushed gold



4014676
Brushed bronze



4014677
Brushed steel



4014678
Matt black



4014673
Black marble



4014679
Matt white



4014680
Brushed gold



4014681
Brushed bronze



4014682
Brushed steel



4014683
Matt black



4014684
Matt white



Ø250mm

FELT DISCS FOR LOPAL

4014701-37
Light green



4014701-03
Camel



4014701-07
Milk coffee



4014701-12
Mandarin



4014701-14
Red




Easy to install, stays in place automatically.

Size: 200mm x 9mm



4014701-41
Reed green



4014701-34
Silver grey



4014701-31
Sesame black



4014701-32
Black



4014701-16
Maroon










mirago

Mirago makes an impression through its architectural presence in aluminium.

The E27 lamp holder allows the light colour to be chosen freely.

Alone above a table or combined in a cluster above a meeting table or in an entrance hall.



3432181



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

E27 not included
Max 60 Watt per bulb
Depends on light source
Aluminium
■ + ■ Matt grey / black



E27
not included



nobu


Nobu combines a timeless, clean form with the freedom of an E27 lamp holder allowing every space to choose its own light colour and atmosphere.

The recessed lamp holder keeps the silhouette clean, even with the lamp in place.

Alone above a dining or coffee table, or combined above a meeting table or entrance hall.



3432161






3432160



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

E27 not included
 Max 60 Watt per bulb
 Depends on light source
 Aluminium
 Matt white
 +  Matt black / gold



E27
 not included



orbit

Orbit was designed to integrate round forms into track systems, but is equally at home as a pendant or wall light.

The various add-on pieces, lenses and diffusers allow the look and light effect to be adjusted in seconds.

Combine with Infinitus (page 177) as a pendant or use Orbit as an accent spot where light effects take centre stage.




1F-TRACK SPOT
Made for 1F-Tracks and Infnitus.



Spot sold as base unit, select and purchase optics and inserts separately.

TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

Led chip included
9 Watt (light source)
905 Lumen (light source)
2700K
TRIAC
Aluminium
■ Matt black




8203431



Orbit wall light + Mini lens

Wall light sold as base unit, select and purchase optics and inserts separately.

TECHNICAL INFORMATION




Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

Led chip included
 9 Watt (light source)
 905 Lumen (light source)
 2700K
 TRIAC
 Aluminium
 ■ Matt black



1F-TRACK PENDANT

Made for 1F-Tracks and Infinitus.
Complete with preinstalled track
adapter.




TR0144B



Orbit pendant + Decorative lens

Pendant sold as base unit, select and purchase
optics and inserts separately.

TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

Led chip included
9 Watt (light source)
905 Lumen (light source)
2700K
TRIAC
Aluminium
■ Matt black




8203430

The Orbit head can tilt up to 45°



Orbit pendant + Flood lens



Pendant sold as base unit, select and purchase optics and inserts separately.

TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Dimmable
Material
Colour


Led chip included
 9 Watt (light source)
 905 Lumen (light source)
 2700K
 TRIAC
 Aluminium
 ■ Matt black





BIG LENS

The Big Lens features a large and flat optic, it is a three-quarters spherical accessory with a minimum beam angle of 10°.



BIG LENS OPTICS

- 8202440-10 Big lens 10°
- 8202440-20 Big lens 20°
- 8202440-36 Big lens 36°
- 8202440-60 Big lens 60°

MINI LENS

The Mini Lens is a spherical accessory with a mini recessed anti-glare reflector.




MINI LENS OPTICS

- 8202441-18 Mini lens 18°
- 8202441-30 Mini lens 30°
- 8202441-42 Mini lens 42°
- 8202441-55 Mini lens 55°

MINI LENS INSERTS

- 8202441-G Mini lens insert Gold
- 8202441-W Mini lens insert White
- 8202441-B Mini lens insert Black
- 8202441-C Mini lens insert Specular



FLOOD LENS



The Flood Lens is a spherical accessory providing ambient lighting and flood lighting with a milky white diffuser optic (150°).



FLOOD LENS OPTIC
8202442 Flood lens 150°

DECORATIVE LENS

The Decorative Lens is a spherical accessory featuring a flat cylinder optic with anti-glare, and a decorative reflector.



DECORATIVE LENS OPTICS

- 8202443-15 Deco lens 15°
- 8202443-24 Deco lens 24°
- 8202443-36 Deco lens 36°
- 8202443-60 Deco lens 60°

DECORATIVE LENS INSERTS

- 8202443-G Deco lens insert Gold
- 8202443-W Deco lens insert White
- 8202443-B Deco lens insert Black
- 8202443-C Deco lens insert Specular






SEROX

Serox combines felt with a metal base to create a large, modern statement piece that spreads pleasant light downwards.

The distinctive shape is shown to best advantage when hung at a slight angle.

Ideal as a centrepiece in large spaces.






3432215

FELT

The Serox pendants have felt on the bottom off the pendant.



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included
 41.3 Watt (light source)
 4247 Lumen (light source)
 2700K
 Included
 TRIAC
 Aluminium + felt
 ■ + ■ Matt black/dark grey





xolo

Xolo is a statement piece that draws its strength from simplicity.

A timeless form with a fixed LED module and driver in the body.

The directed downlight creates a warm, concentrated effect.



Hang Xolo alone above a dining or coffee table, or combine large and small models in a cluster above a meeting table or entrance.





3432171 Ø400mm

3432176 Ø500mm





3432170 Ø400mm

3432175 Ø500mm

TECHNICAL INFORMATION

	3432170, 3432171	3432175, 3432176
Light source	Led chip included	Led chip included
Power	6,5 Watt (light source)	10 Watt (light source)
Lumen	650 Lumen (light source)	1330 Lumen (light source)
Light colour	2700K	2700K
Driver	Included	Included
Dimmable	TRIAC	TRIAC
Material	Aluminium	Aluminium
Colour	<div style="display: flex; align-items: center; gap: 5px;"> <div style="width: 15px; height: 15px; background-color: black; border: 1px solid black;"></div> Matt black </div> <div style="display: flex; align-items: center; gap: 5px;"> <div style="width: 15px; height: 15px; background-color: #cccccc; border: 1px solid black;"></div> Matt white </div>	<div style="display: flex; align-items: center; gap: 5px;"> <div style="width: 15px; height: 15px; background-color: black; border: 1px solid black;"></div> Matt black </div> <div style="display: flex; align-items: center; gap: 5px;"> <div style="width: 15px; height: 15px; background-color: #cccccc; border: 1px solid black;"></div> Matt white </div>





zolan

Zolan screws onto the ceiling base and sits flush against it. No visible fixings, a perfect finish and still straightforward to install.

Combine Zolan with Zoom inserts in bronze, gold, black or white for a colour accent of your choice. Play with different lengths, surface-mounted or suspended, to create your own visual composition.

Perfect for hallways, concrete ceilings or projects where recessed installation is not an option.





4014150



CHANGEABLE INSERTS

The Zolan series uses Zoom inserts.




4014152



4014151

TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

GU10 included (8202652)
5 Watt
365 Lumen
2700K
TRIAC
Aluminium, steel
Matt white






4014155



4014157



4014156



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

GU10 included (8202652)
 5 Watt
 365 Lumen
 2700K
 TRIAC
 Aluminium, steel
 ■ + ■ Matt black / gold



Add a **touch of COLOUR**

CUSTOMIZE with insert

Add a personal touch using different inserts. Inserts are available in gold, aluminium, bronze, white and black.



4014101
Matt white



4014102
Matt black



4014100
Aluminium




4014104
Gold



4014117
Bronze





PENDANT KIT

Combine with Zolan spot (sold separately) to create a pendant.



box

Box combines a robust industrial look with the flexibility of AR111 LED modules.

The sharply defined beams bring precision to higher ceilings. Perfect for art galleries, restaurants and lofts where directed light makes the difference.

Can be equipped with Dali drivers for projects that require intelligent control.



4014301



4014300



4014306




4014305



AR111 bulb options:

8202704	AR111-F COB Ø104 12,4W 15° 2700K 1386Lm
8202705	AR111-F COB Ø104 12,4W 30° 2700K 1386Lm
8202706	AR111-F COB Ø104 12,4W 15° 3000K 1386Lm
8202707	AR111-F COB Ø104 12,4W 30° 3000K 1386Lm
8202708	AR111-F COB Ø104 12,4W 15° 4000K 1386Lm
8202709	AR111-F COB Ø104 12,4W 30° 4000K 1386Lm

TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

AR111 included (8202705)
 12,4 Watt
 1386 Lumen
 2700K
 Included (3419052)
 TRIAC
 Aluminium
 Matt white
 Matt black






4014302



4014307

The AR111 bulb has an optional anti-glare lenscap, with the lenscap installed the bulb has 650 Lumen.



TECHNICAL INFORMATION

Light source	2x AR111 included (8202705)
Power	2x 12,4 Watt
Lumen	2x 1386 Lumen
Light colour	2700K
Driver	Included (2x 3419052)
Dimmable	TRIAC
Material	Aluminium
Colour	<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: #cccccc; margin-right: 5px;"></div> Matt white </div> <div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: #333333; margin-right: 5px;"></div> Matt black </div>






4014303



4014308



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Driver

Dimmable

Material

Colour

3x AR111 included (8202705)

3x 12,4 Watt

3x 1386 Lumen

2700K

Included (3x 3419052)

TRIAC

Aluminium

■ Matt white

■ Matt black






4014304





4014309



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

4x AR111 included (8202705)
 4x 12,4 Watt
 4x 1386 Lumen
 2700K
 Included (4x 3419052)
 TRIAC
 Aluminium
 Matt white
 Matt black







aeon

Aeon shares the asymmetric DNA of Nysit but makes a deliberate choice for an industrial look with AR111 LED modules.

Drivers are dimmable as standard via phase cut, with DALI as an option.

The choice of light colours and beam angles makes Aeon particularly suited to taller spaces.

Ideal for lofts, restaurants, shops and art galleries where precise accents make the difference.



4014320




4014325

AR111 bulb options:

- 8202704 AR111-F COB Ø104 12,4W 15° 2700K 1386Lm
- 8202705 AR111-F COB Ø104 12,4W 30° 2700K 1386Lm
- 8202706 AR111-F COB Ø104 12,4W 15° 3000K 1386Lm
- 8202707 AR111-F COB Ø104 12,4W 30° 3000K 1386Lm
- 8202708 AR111-F COB Ø104 12,4W 15° 4000K 1386Lm
- 8202709 AR111-F COB Ø104 12,4W 30° 4000K 1386Lm

TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

AR111 included (8202705)
 12,4 Watt
 1386 Lumen
 2700K
 Included (3419052)
 TRIAC
 Aluminium
 Matt white
 Matt black






4014321



4014326

The AR111 bulb has an optional anti-glare lenscap, with the lenscap installed the bulb has 650 Lumen.



TECHNICAL INFORMATION

Light source	2x AR111 included (8202705)
Power	2x 12,4 Watt
Lumen	2x 1386 Lumen
Light colour	2700K
Driver	Included (2x 3419052)
Dimmable	TRIAC
Material	Aluminium
Colour	<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: #cccccc; margin-right: 5px;"></div> Matt white </div> <div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: #333333; margin-right: 5px;"></div> Matt black </div>






4014322



4014327



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Driver

Dimmable

Material

Colour

3x AR111 included (8202705)

3x 12,4 Watt

3x 1386 Lumen

2700K

Included (3x 3419052)

TRIAC

Aluminium

■ Matt white

■ Matt black






4014323



4014328



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Driver

Dimmable

Material

Colour

4x AR111 included (8202705)

4x 12,4 Watt

4x 1386 Lumen

2700K

Included (4x 3419052)

TRIAC

Aluminium

■ Matt white

■ Matt black






4014332



4014330

Extra space for 3 pendants



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Driver

Dimmable

Material

Colour

3x AR111 included (8202705)

3x 12,4 Watt

3x 1386 Lumen

2700K

Included (3x 3419052)

TRIAC

Aluminium

■ Matt white

■ Matt black



AR111
included



ready for
DALI



4014333




4014331

↖ Extra space for 5 pendants

The new Aeon spotlights offer configurations for either 3 or 5 pendants. Designed to seamlessly integrate any type of pendant you choose. (Pendants with E27, E14, G9, integrated ledchip, ...)

Inside the canopy there is room for additional drivers, and the integrated strain relief adds extra support and safety for installed pendants.

TECHNICAL INFORMATION



Light source	3x AR111 included (8202705)
Power	3x 12,4 Watt
Lumen	3x 1386 Lumen
Light colour	2700K
Driver	Included (3x 3419052)
Dimmable	TRIAC
Material	Aluminium
Colour	<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: #cccccc; margin-right: 5px;"></div> Matt white </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="width: 20px; height: 10px; background-color: #333333; margin-right: 5px;"></div> Matt black </div>






nysal

The Nysal family shares the distinctive grille pattern of the Lopal add-on pieces, allowing both families to complement each other perfectly.

The refined, elegant silhouette is built around a replaceable MR11 GU10 LED spot.

Discreet in presence, precise in effect.

Use Nysal for soft, indirect lighting or to subtly accentuate distinctive ceilings such as open ridge beams.



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

MR11 GU10 not included
Max 10 Watt per bulb
Depends on light source
Aluminium
■ Matt white
■ Matt black



MR11
not included






4014731W



4014731B



TECHNICAL INFORMATION


Light source
Power
Dimmable
Material
Colour

2x MR11 GU10 not included
 Max 10 Watt per bulb
 Depends on light source
 Aluminium
 Matt white
 Matt black



MR11
 not included






4014732W





4014732B



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

3x MR11 GU10 not included
Max 10 Watt per bulb
Depends on light source
Aluminium
 Matt white
 Matt black




MR11
not included 

4014733W



4014733B



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

4x MR11 GU10 not included
Max 10 Watt per bulb
Depends on light source
Aluminium
 Matt white
 Matt black




MR11
not included



4014735W





4014735B



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

3x MR11 GU10 not included
Max 10 Watt per bulb
Depends on light source
Aluminium
 Matt white
 Matt black




MR11
not included 



4014736W



4014736B



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

5x MR11 GU10 not included
 Max 10 Watt per bulb
 Depends on light source
 Aluminium

-  Matt white
-  Matt black



MR11
 not included 




TR01361W

TR01361B


1F-TRACK SPOT

Made for 1F-Tracks and Ininitus



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

MR11 GU10 not included
 Max 10 Watt per bulb
 Depends on light source
 Aluminium
 Matt white
 Matt black




MR11
 not included 



TR03241W

TR03241B


MICRO LINE TRACK SPOT
Made for Micro Line tracks




TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

MR11 GU10 not included
Max 10 Watt per bulb
Depends on light source
Aluminium
 Matt white
 Matt black



MR11
not included



4014738W



4014738B





Plug and switch included.

Dimmer for table lamps available separately.
3419060: Rotary LED dimmer 3-25 Watt

TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

MR11 GU10 not included
Max 10 Watt per bulb
Depends on light source
Aluminium
 Matt white
 Matt black



MR11
not included





4014737W



4014737B

Plug and switch included.




Dimmer for floor lamps available separately.
3419061: LED dimmer 5-100 Watt

TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

2x MR11 GU10 not included
Max 10 Watt per bulb
Depends on light source
Aluminium
 Matt white
 Matt black



MR11
not included



4014734W



4014734B




INPUT SPOT

Mount this spotlight flush in your ceiling, no need for a visible ceiling mounted box.

Leaf springs included for installation in concrete ceilings.

TECHNICAL INFORMATION



Light source
Power
Dimmable
Material
Colour

MR11 GU10 not included
Max 10 Watt per bulb
Depends on light source
Aluminium
■ Matt white
■ Matt black



MR11
not included



CUSTOMIZE with ring

Add a personal touch using Nysal's optional architectural ring. Available in gold, steel and bronze.



4014739G
Gold



4014739DG
Steel



4014739BR
Bronze



CUSTOMIZE with Deep Deco bulbs 4,9 Watt, 400 Lumen

The Deep Deco MR11 bulb is available premade with a black or white ring. The bronze ring is available separately.



8205011



8205012



8205002+
8205072



nysit

The cornerstone of our Premium collection since 2013 and still a bestseller.

Nysit introduced asymmetrically positioned spots as a design feature: an idea that was innovative at launch and has never lost its relevance.

Replaceable covers and cylinders in a range of colours and shapes make Nysit adaptable to every taste and every interior.






3427091





3427101



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

GU10 included (8202650)
4,5 Watt
359 Lumen
2700K
TRIAC
Aluminium, steel
 Matt white
 Matt black






3427092



3427102



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

GU10 included (8202650)

2x 4,5 Watt

2x 359 Lumen

2700K

TRIAC

Aluminium, steel

 Matt white

 Matt black






3427093



3427103



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

GU10 included (8202650)

3x 4,5 Watt

3x 359 Lumen

2700K

TRIAC

Aluminium, steel

 Matt white

 Matt black






3427094





3427104



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

GU10 included (8202650)
 4x 4,5 Watt
 4x 359 Lumen
 2700K
 TRIAC
 Aluminium, steel
 Matt white
 Matt black






3427195



3427105



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

GU10 included (8202650)

7x 4,5 Watt

7x 359 Lumen

2700K

TRIAC

Aluminium, steel

 Matt white

 Matt black






TR0131W

1F-TRACK SPOT

Made for 1F-Tracks and Infnitus





TR0131B



TECHNICAL INFORMATION

Light source
Dimmable
Material
Colour

GU10 not included
 Depends on light source
 Aluminium, steel
 Matt white
 Matt black




GU10
 not included 



3427091SQ





3427101SQ



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

GU10 included (8202650)
4,5 Watt
359 Lumen
2700K
TRIAC
Aluminium, steel
 Matt white
 Matt black






3427092SQ



3427102SQ



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

GU10 included (8202650)

2x 4,5 Watt

2x 359 Lumen

2700K

TRIAC

Aluminium, steel

 Matt white

 Matt black






3427093SQ



3427103SQ



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

GU10 included (8202650)
 3x 4,5 Watt
 3x 359 Lumen
 2700K
 TRIAC
 Aluminium, steel
 Matt white
 Matt black






3427094SQ



3427104SQ



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

GU10 included (8202650)

4x 4,5 Watt

4x 359 Lumen

2700K


TRIAC

Aluminium, steel

■ Matt white

■ Matt black






3427195SQ



3427105SQ



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

GU10 included (8202650)

7x 4,5 Watt

7x 359 Lumen

2700K

TRIAC


Aluminium, steel

 Matt white

 Matt black



Add a touch of **COLOUR**



Nysit collection
online overview

3427177
Matt white



3427178
Matt black



3427179
Aluminium



3427181
Gold foil



3427207
Gunmetal



3427206
Gold



3427205
Bronze



3427183
Old copper



3427208BR
Brushed bronze



3427208G
Brushed gold



3427208DG
Brushed steel



CUSTOMIZE

1. Choose an empty base, bulbs are included with every base (8202650).

2. Combine with a cover, square or rounded, matt white or matt black. Attach the cover to the base using preinstalled magnets.

3. Choose your favorite cylinders.



xandar

Xandar was created as the ideal companion for Infinitus: an elegant track spot that combines accent and power.


The lens is replaceable, with a choice of 15°, 36° or 60° beam angle. Anti-glare accessories and colour accents refine the light effect further.

As well as a track spot, Xandar is equally strong as a standalone surface mounted spotlight in a living room, hallway, shop or hospitality setting.





8203433





8203432

TECHNICAL INFORMATION

Light source	Led chip included
Power	10 Watt (light source)
Lumen	670 Lumen (light source)
Light colour	2700K
Driver	Included
Dimmable	TRIAC
Material	Aluminium
Colour	<div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #cccccc; margin-right: 5px;"></div> Matt white </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="width: 15px; height: 15px; background-color: #333333; margin-right: 5px;"></div> Matt black </div>



Add a **touch of COLOUR**

CUSTOMIZE

with inserts and lenses

Add a personal touch to the track or ceiling spot using a gold insert.


Change the beam angle using different lenses (standard 36° lens included with light). Reduce glare by adding a honeycomb insert.



8202422
gold insert



8202423
honey comb



8202420
15° lens



8202421
60° lens



1F-TRACK SPOT
Made for 1F-Tracks and Infitus.




TR0142W



TR0142B




TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included
10 Watt (light source)
670 Lumen (light source)
2700K
Included
TRIAC
Aluminium
 Matt white
 Matt black








zoom

Zoom was designed with one goal: near-unlimited possibilities in a single recessed spotlight system.


Choose your own base, inserts and light source: GU10, LED module or a version with a separate DALI-dimmable driver, depending on the application.

Suitable for suspended ceilings and concrete, and with the Lopal insert, also usable as a semi-recessed spotlight.

Applicable wherever general or directed accent lighting is required.




4014070




4014075

Choose the insert separately.
Choose between different
types and 5 colours.



4014080







4014118

Leaf springs included for installation in concrete ceilings.


TECHNICAL INFORMATION

Light source
Dimmable
Material
Colour

GU10 not included
Depends on light source
Aluminium
 Brushed aluminium
 Matt white
 Matt black
 Brushed bronze



Ø80mm



GU10
not included



4014074



4014079



4014084



4014119

Leaf springs included for installation in concrete ceilings.

TECHNICAL INFORMATION

Light source

Dimmable

Material

Colour

GU10 not included

Depends on light source

Aluminium

 Aluminium


 Matt white

 Matt black

 Brushed bronze




Ø80mm




Ø93,5mm



GU10
not included 




4014071




4014076



4014081



80mm x 175mm



TECHNICAL INFORMATION

Light source
Dimmable
Material
Colour

GU10 not included
 Depends on light source
 Aluminium
 ■ Brushed aluminium
 ■ Matt white
 ■ Matt black



GU10
 not included

Inserts for Zoom

Standard inserts

Insert I
30° tilt



Insert II
30° tilt



Insert III



Gold inserts

Insert II
30° tilt



Insert III



Lopal spot inserts

Lopal insert for Zoom
rotate and tilt 30°







ZOOM ar111

These recessed spotlights, which are also suitable for installation in suspended ceilings, use highly flexible and performant AR111 light sources.

The defined beams of light create a sense of focus in rooms with high ceilings.

Ideal for galleries, restaurants and lofts.



4014120

The AR111 bulb has an optional anti-glare lenscap, with the lenscap installed the bulb has 650 Lumen.





4014121

AR111 bulb options:

8202704	AR111-F COB Ø104 12,4W 15° 2700K 1386Lm
8202705	AR111-F COB Ø104 12,4W 30° 2700K 1386Lm
8202706	AR111-F COB Ø104 12,4W 15° 3000K 1386Lm
8202707	AR111-F COB Ø104 12,4W 30° 3000K 1386Lm
8202708	AR111-F COB Ø104 12,4W 15° 4000K 1386Lm
8202709	AR111-F COB Ø104 12,4W 30° 4000K 1386Lm


TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

AR111 included (8202705)
 12,4 Watt
 1386 Lumen
 2700K
 Included (3419052)
 TRIAC
 Aluminium
 Matt white
 Matt black



Ø155mm




ZOOM ar111




4014125



4014126



320mm x 155mm



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

2x AR111 included (8202705)
2x 12,4 Watt
2x 1386 Lumen
2700K
2x Included (2x 3419052)
TRIAC
Aluminium
■ Matt white
■ Matt black






enso

Enso is a wall light with a fixed LED and built-in non-dimmable driver that brings soft, indirect light to the wall.

The dish form reflects light in a way that creates a particularly warm and inviting effect. The best results are achieved when several units are combined on a single wall, preferably in an odd number.

Ideal in meeting rooms, hotel entrances or restaurants where atmosphere takes centre stage.





3432200 Ø350mm

3432205 Ø500mm

Light off





Light off





3432201 Ø350mm

3432206 Ø500mm



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Driver

Dimmable

Material

Colour

Led chip included

4,55 Watt (light source)

470 Lumen (light source)


2700K

Included

No

Aluminium + glass

 Matt white

 Brushed bronze







noma

Noma stands apart through its distinctive character. The metal shades interact with light and space in an unexpected way.

The black version with a gold interior brings warm radiance; the white version keeps things clean and bright.


Ideal for living spaces and restaurants where design and atmosphere come together.



4014506




4014501



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

G9 not included
 Max 40 Watt per bulb
 Depends on light source
 Steel

 +  Matt white / gold
 +  Matt black / gold



G9
 not included



4014505



4014500



Plug and switch included.



Dimmer for table lamps available separately.
3419060: Rotary LED dimmer 3-25 Watt

TECHNICAL INFORMATION


Light source
Power
Dimmable
Material
Colour

G9 not included
Max 40 Watt per bulb
No
Steel

+ Matt white / gold
 + Matt black / gold




G9
not included



4014507



Plug and switch included.





4014502


Dimmer for floor lamps available separately.
3419061: LED dimmer 5-100 Watt

TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

E27 not included
Max 60 Watt per bulb
No
Steel

 +  Matt white / gold
 +  Matt black / gold



E27
not included




talU

Talu proves that a wall light can be exceptionally slim and architectural.

The fixed LED on 220–240V is dimmable via phase cut and throws light upwards or downwards for soft, indirect shadows in the room.


Particularly well suited to accentuating distinctive ceilings, such as open ridge beams or to softly and indirectly illuminating a living space.



8202521



Downlight or uplighter, the Talu lights up on one side only.





8202522

TECHNICAL INFORMATION

Light source	Led chip included
Power	20 Watt (light source)
Lumen	1256 Lumen (light source)
Light colour	2700K
Dimmable	No
Material	Aluminium + glass
Colour	<div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: white; border: 1px solid black; margin-right: 5px;"></div> Matt white </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="width: 15px; height: 15px; background-color: black; border: 1px solid black; margin-right: 5px;"></div> Matt black </div>







ako

Ako brings clean elegance to the workplace or reading corner.

A powerful LED module provides ample brightness for work and relaxation alike. The touch dimmer integrates subtly but remains easy to reach when adjusting intensity.

For spaces where functional light and design go hand in hand.



4014510




4014515

Touch dimmer included
Stepless dimming 0-100%





TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included
12,5 Watt (light source)
1250 Lumen (light source)
2700K
Included
Touch dimmer 0-100%
Aluminium
 + Matt white / gold
 + Matt black / gold






4014511



4014516


Touch dimmer included
Stepless dimming 0-100%



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included
12,5 Watt (light source)
1250 Lumen (light source)
2700K
Included
Touch dimmer 0-100%
Aluminium
 + Matt white / gold
 + Matt black / gold





axion

Axion brings the anti-glare philosophy of Baton to the desk or reading corner.

Highly focused, warm light that concentrates without ever disturbing.

The touch dimmer integrates subtly into the clean design whilst remaining intuitive to use.

Perfect for moments where concentration or calm takes centre stage.



Touch dimmer included
Stepless dimming 0-100%

Anti-glare


3435063




TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included
6 Watt (light source)
600 Lumen (light source)
2700K
Included
Touch dimmer 0-100%
Aluminium
■ Matt black






Touch dimmer included
Stepless dimming 0-100%

Anti-glare


3435064



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included
6 Watt (light source)
600 Lumen (light source)
2700K
Included
Touch dimmer 0-100%
Aluminium
■ Matt black





jutai

Jutai reduces lighting to what you see: two or three miniature heads directing focused light downwards whilst all the technology disappears.

Compact in size, but with a light output that surprises.

Designed specifically for Infinitus and complemented by table and floor lamps for a complete family.

Perfect above dining or work tables, in long hallways or on desks where clean design and sufficient light go hand in hand.



1F-TRACK SPOT


Made for 1F-Tracks and Infnitus.



TR0148W



TR0148B



TECHNICAL INFORMATION

Light source

Power

Lumen

Light colour

Driver

Dimmable

Material

Colour

Led chip included

7 Watt (light source)

730 Lumen (light source)

2700K

Included

TRIAC

Aluminium

 Matt white

 Matt black






TR0149W



TR0149B

TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included
 10,4 Watt (light source)
 1095 Lumen (light source)
 2700K
 Included
 TRIAC
 Aluminium
 Matt white
 Matt black




Add a touch of **COLOUR**

CUSTOMIZE with ring

Add a personal touch using different rings. Available in brushed gold, brushed steel, brushed bronze. Rings also suitable for trackspots.




4014107
Brushed gold



4014108
Brushed steel






4014109
Brushed bronze





4014691



4014690

TECHNICAL INFORMATION


Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

4014691

Led chip included
 7 Watt (light source)
 730 Lumen (light source)
 2700K
 Touch dimmer 0-100%
 Aluminium
 Matt white
 Matt black

4014690

Led chip included
 10,4 Watt (light source)
 1095 Lumen (light source)
 2700K
 Touch dimmer 0-100%
 Aluminium
 Matt white
 Matt black








vertige

Vertige was developed at a client's request to illuminate the centre of a room from a corner and has since grown into a much sought-after model.


The floor lamp with built-in dimmer brings light precisely where there is no fixed ceiling point.

Perfect in living spaces without a central ceiling fitting, or to softly illuminate a reading corner.




Touch dimmer included
Stepless dimming 0-100%


3435089



TECHNICAL INFORMATION

Light source	Led chip included
Power	17 Watt (light source)
Lumen	2280 Lumen (light source)
Light colour	3000K
Driver	Included
Dimmable	Touch dimmer 0-100%
Material	Aluminium
Colour	<div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: black; margin-right: 5px;"></div> Matt black </div>





TRACKS



infinitus

Infinitus was developed with one vision: to combine the appearance and flexibility of 48V systems with the simplicity of direct 220–240V installation.

The single-phase rail system carries up to 2200W and reaches up to 80 metres from a single connection point, concealing all the technology for a clean, finished appearance.


The extensive range of spotlights, light lines and decorative accessories makes Infinitus suitable for shops, restaurants, offices and homes. Surface-mounted, suspended or wall-mounted.



INFINITUS profiles

Available with or without accessories.
Profiles available ready for use as is, featuring an internal 1F-Track and feeder. Available as extension pieces with internal 1F-Track without feeder.

Also available as empty profiles.



L and T Connectors to create intricate shapes




Felt cover for INFINITUS

Felt covers sold per length of 1,2m


Easy to cut to size

Easy to install, stays in place automatically


Size: 1200mm x 37mm x 9mm



TR0215-41
Reed green



TR0215-37
Light green



TR0215-03
Camel



TR0215-07
Milk coffee




TR0215-12
Mandarin



TR0215-14
Red



TR0215-16
Maroon



TR0215-34
Silver grey




TR0215-31
Sesame black



TR0215-32
Black





PROFILES





Profile + monophas track, feeder and endcaps:

- TR0200B/W/DG/BR Ininitus Profile 1,2m
- TR0201B/W/DG/BR Ininitus Profile 1,8m
- TR0202B/W/DG/BR Ininitus Profile 2,9m




Profile + monophas track, no feeder:

- TR0203B/W/DG/BR Ininitus Profile 1,2m
- TR0204B/W/DG/BR Ininitus Profile 1,8m
- TR0205B/W/DG/BR Ininitus Profile 2,9m




Profile, empty (no internal track, no feeder, no endcaps):

- TR0210B/W/DG/BR Ininitus Profile 3m



CONNECTORS




T-connector

- TR0206B/W/DG/BR

+ choose according to earth wire position:

- TR0115B/W 1F-Track - T-connector earthwire inside
- TR0116B/W 1F-Track - T-connector earthwire outside




L-connector

- TR0207B/W/DG/BR

+ choose according to earth wire position:

- TR0113B/W 1F-Track - L-connector earthwire outside
- TR0114B/W 1F-Track - L-connector earthwire inside




Linear connector

- TR0111B/W

Internal 1F-Track connection piece.


Used to connect the internal Ininitus 1F-Track from one profile to another.




60mm connection piece

- TR0211


For safety reasons, this connection piece adds extra support to the profile, it attaches to the back of the profile. Use this in combination with L-connectors and T-connectors or an extension profile.



Profile endcap
TR0213B/W/DG/BR




IF-Track endcap
TR0120B/W




Track adapter
TR0123B/W

Required to install pendants.
Compatible with most pendants with replaceable bulbs or led chips.



Screw guide
TR0212


Included with every profile, helps guide the screws inside the profile during installation.



Safety cover
TR0214B/W: sold per meter, cuttable to size

The safety cover protects the internal monophase track from external foreign objects and fingers. Recommended when installing the Ininitus on a wall.
Available in black and white.


Optional: Felt covers, see page 179



Suspension kit
TR0208B/W

Suspension kits consist of:

- 2x 5m steelcable
- 2x steelcable ceiling fixations
- 2x 60mm internal profile connection pieces



Power supply kit
TR0209B/W

Power supply kits consist of:

- 1x canopy
- 1x 5m powercable
- 1x 60mm internal profile connection piece
- 2x powercable strain relief



linar

Linar was developed as a general lighting module for the Infinitus system, with the LED light strip blending aesthetically into the track.

The same driver-in-adaptor technology as the Jutai makes Linar dimmable and straightforward to integrate.


The opal diffuser spreads light broadly, whilst the module slides over the adaptor for a continuous line.

Ideal in combination with accent lighting on the same track.





TR0147W



1F-TRACK SPOT

Made for 1F-Tracks and Ininitus.



TR0147B

TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included
 11,5 Watt (light source)
 1290 Lumen (light source)
 2700K
 Included
 TRIAC
 Aluminium
 Matt white
 Matt black





lux line


This highly efficient and elegant LED light strip, available in two lengths, can be integrated into Infinitus or used as a standalone unit.

Use the Lux Line as a light strip on ceilings and walls. When combined with Infinitus, you can create unlimited lengths, angles and combinations with track spots.

Perfect for long corridors, meeting rooms, shops or kitchens where light strips add character to the space.

Installed in Infnitus profile


Preinstalled in a profile, great for new Infnitus installations that want to easily integrate a Lux Line.



TR021612B: 1205mm
TR021618B: 1805mm



401475012B: 1199mm
401475018B: 1799mm



Ready for Infnitus profile

Install it directly on the ceiling or wall or install it in an existing Infnitus profile.

Lux Line black version in light colour 3000K and 4000K

401475312-02: 3000K 1200mm

401475318-02: 3000K 1800mm

401475412-02: 4000K 1200mm

401475418-02: 4000K 1800mm

TR021618B/W/BR



TR021612B/W/BR



401475018B/W/BR



401475012B/W/BR





TR021612W: 1205mm
TR021618W: 1805mm



401475012W: 1199mm
401475018W: 1799mm



TR021612BR: 1205mm
TR021618BR: 1805mm



401475012BR: 1199mm
401475018BR: 1799mm

TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

TR021612, 401475012

Led chip included
24,2 Watt (light source)
3570 Lumen (light source)
2700K
TRIAC
Aluminium
 Matt black
 Matt white
 Brushed bronze


TR021618, 401475018

Led chip included
36,5 Watt (light source)
5360 Lumen (light source)
2700K
TRIAC
Aluminium
 Matt black
 Matt white
 Brushed bronze





↑ **IF-TRACK SPOT**
Made for IF-Tracks and Infnitus.



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Dimmable
Material
Colour


Led chip included
4,5 Watt (light source)
365 Lumen (light source)
2700K
TRIAC
Aluminium
 Matt black
 Matt white
 Brushed bronze





IF-TRACK SPOT

Made for IF-Tracks and Infnitus.



TECHNICAL INFORMATION

Light source

Power

Dimmable

Material

Colour

MR11 GU10 not included

Max 10 Watt per bulb

Depends on light source

Aluminium

■ Matt white

■ Matt black



MR11



not included




TR0131W

1F-TRACK SPOT

Made for 1F-Tracks and Infnitus.



TR0131B



TECHNICAL INFORMATION

Light source
Dimmable
Material
Colour

GU10 not included
Depends on light source
Aluminium, steel
 Matt white
 Matt black



1F-TRACK SPOT
Made for 1F-Tracks and Infnitus.



TR0143B

The Orbit head can tilt up to 45°




Orbit trackspot + Big lens

Spot sold as base unit, select and purchase optics and inserts separately.

Complete overview page 63

TECHNICAL INFORMATION



Light source

Power

Lumen

Light colour

Dimmable

Material

Colour

Led chip included

9 Watt (light source)

905 Lumen (light source)

2700K

TRIAC

Aluminium

■ Matt black



1F-TRACK PENDANT

Made for 1F-Tracks and Infnitus.
Complete with preinstalled track
adapter.

TR0144B




Orbit pendant + Decorative lens

Pendant sold as base unit, select and purchase
optics and inserts separately.

Complete overview page 63

TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Dimmable
Material
Colour

Led chip included
9 Watt (light source)
905 Lumen (light source)
2700K
TRIAC
Aluminium
■ Matt black



1F-TRACK SPOT
Made for 1F-Tracks and Infnitus.




TR0142W



TR0142B




TECHNICAL INFORMATION



Light source
Power
Lumen
Light colour
Driver
Dimmable
Material
Colour

Led chip included
10 Watt (light source)
670 Lumen (light source)
2700K
Included
TRIAC
Aluminium
 Matt white
 Matt black





Lopal 4014355 (v4) + TR0323W

Lopal 4014365 (v4) + TR0323B

Nysal TR03241B + 4014739DC

Nysal TR03241B + 4014739C

Lopal TR03243BR

Taboo TR03244DC

Taboo 4014634 + TR0323W

Taboo 4014620 + TR0323B

Taboo 4014623 + TR0323B

Taboo 4014632 + TR0323B

Taboo 4014621 + TR0323B

The image shows a black track lighting system with several pendant lights hanging from it. On the left, there are two black pendant lights of different lengths. On the right, there are two gold-colored pendant lights of different lengths. A black spotlight is mounted on the track on the right side, and a gold spotlight is on the left. The track itself is a thin black bar at the top. The background is white with a dark red vertical bar on the far right.

micro line

Micro Line is the slimmest 220–240V track on the market, developed for interiors where a clean finish and precision come first.

The optional recessed profile allows the track to disappear completely into the ceiling.

Micro Line carries up to 6A or approximately 1200W per connection point.

Spotlights and pendant lights without an earth connection are compatible via the universal adaptor.

Suitable for shops, restaurants, offices and homes.

Oryx TR03240B

Oryx 4014716C + TR0323B

Oryx 4014717G + TR0323B

Oryx 4014717B + TR0323B

Oryx 4014716B + TR0323B

Oryx TR03240C

TRACKS




Micro Line tracks

TR0301B
L: 1000mm
H: 18,5mm
B: 19mm

TR0302B
L: 2000mm
H: 18,5mm
B: 19mm


TR0303B
L: 3000mm
H: 18,5mm
B: 19mm



TR0301W
L: 1000mm
H: 18,5mm
B: 19mm

TR0302W
L: 2000mm
H: 18,5mm
B: 19mm


TR0303W
L: 3000mm
H: 18,5mm
B: 19mm



TR0301BR
L: 1000mm
H: 18,5mm
B: 19mm

TR0302BR
L: 2000mm
H: 18,5mm
B: 19mm

TR0303BR
L: 3000mm
H: 18,5mm
B: 19mm



FEEDERS




Feeder

TR0318B

TR0318W

The feeder provides power to the start or end of the Micro Line track.




Linear connector + feeder large (only for surface installations)

TR0312B

TR0312W

The center feeder connects 2 pieces of track together in a straight line and can provide power to the track. The larger feeder allows for easy access to internal connections.




Linear connector + feeder small (for surface and recessed installations)

TR0313B

TR0313W

The center feeder connects 2 pieces of track together in a straight line and can provide power to the track. The smaller feeder is perfect for recessed installations, it is the same size of the track.






Linear mini connector

TR0311B TR0311W


The linear mini connector connects 2 pieces of track together in a straight line, but does not provide power to the track.



L-connector

TR0314B TR0314W


L-connectors allow L shapes to be made.



T-connector

TR0315B TR0315W


T-connectors allow T shapes to be made.



X-connector

TR0316B TR0316W

X-connectors allow X shapes to be made.





Linear connector 90° angle

TR0310-01 (white) TR0310-02 (black)

The 90° linear connector connects 2 pieces of track together at a 90° angle. Ideal for creating a track that runs connected from ceiling to wall.



Linear connector curved


TR0304-01 (white) TR0304-02 (black) TR0304-08 (brushed bronze)

Earth wire outside

TR0305-01 (white) TR0305-02 (black) TR0305-08 (brushed bronze)

Earth wire inside


The curved linear connector connects 2 pieces of track together with a 90° curve, creating a different visual style from a standard L-connector.



Endcap

TR0320B TR0320W

Endcaps are used at the end of the Micro Line track.




Track adapter


TR0323B TR0323W

Track adapters are required to install pendants on the Micro Line track.

Max 1,25kg per track adapter



RECESSED INSTALLATION



Micro Line recessed profile


TR03000

L: 3000mm
H: 35mm
B: 36mm

Included with every 3m profile:
8x mounting wing
8x screw



SPARE PARTS FOR RECESSED INSTALLATION




Mounting wing for recessed installation

TR03001

Contains 1 mounting wing


H: 18mm
B: 19mm



Screw for recessed installation

TR03002


Contains 1 screw



TECHNICAL INFORMATION

Light source
Power
Lumen
Light colour
Dimmable
Material
Colour


Led chip included
4,5 Watt (light source)
365 Lumen (light source)
2700K
TRIAC
Aluminium
■ Matt black
■ Matt white
■ Brushed bronze





TR03241W

TR03241B




TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Colour

MR11 GU10 not included
Max 10 Watt per bulb
Depends on light source
Aluminium

■ Matt white
■ Matt black




MR11
not included



TR03240B

TR03240W




TR03240G




TECHNICAL INFORMATION


Light source
Power
Dimmable
Material
Colour

MR11 GU10 not included
 Max 10 Watt per bulb
 Depends on light source
 Aluminium

-  Matt black
-  Matt white
-  Matt gold



MR11
 not included



TECHNICAL INFORMATION

Light source

Power

Dimmable

Material

Colour

GU10 not included

Max 50 Watt per bulb

Depends on light source

Aluminium


■ Matt black

■ Matt white


■ Brushed gold

■ Brushed bronze

■ Brushed steel



GU10
not included



BATHROOM




xia

Xia was born from the need for bathroom fittings that are more elegant and decorative than the standard.

The cylinder slides easily from the base for a quick lamp change.

The refined silhouette houses a GU10 MR11 LED spot that delivers ample light despite its compact format.

IP-rated for wet rooms, but equally at home in any other space.






4014800W



4014800B






4014800BR



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Protection Class
Colour


MR11 GU10 not included
 Max 10 Watt per bulb
 Depends on light source
 Aluminium + glass
 IP44

 Matt white
 Matt black
 Brushed bronze



MR11
not included






4014801W



4014801B



4014801BR



TECHNICAL INFORMATION

Light source

Power

Dimmable

Material

Protection Class

Colour

2x MR11 GU10 not included

Max 10 Watt per bulb


Depends on light source

Aluminium + glass

IP44

 Matt white


 Matt black

 Brushed bronze



MR11
not included






4014802W



4014802B



4014802BR



TECHNICAL INFORMATION

Light source

Power

Dimmable

Material

Protection Class

Colour

3x MR11 GU10 not included

Max 10 Watt per bulb

Depends on light source

Aluminium + glass

IP44

 Matt white


 Matt black

 Brushed bronze



MR11
not included






4014803W



4014803B






4014803BR



TECHNICAL INFORMATION

Light source
Power
Dimmable
Material
Protection Class
Colour


4x MR11 GU10 not included
 Max 10 Watt per bulb
 Depends on light source
 Aluminium + glass
 IP44

-  Matt white
-  Matt black
-  Brushed bronze



MR11
not included





OUTDOOR



4.016520-01

santini



4.016515-02

athmos



4.016514-02

cana



4.016512-02

enoki



4.016510-02

xambo



4.016511-02



4.016513-01

shitake

outdoor

Our outdoor lighting combines clean, modern design with a well-considered installation.

The garden bollards are connected via waterproof cables that do not need to be buried underground.

Thanks to the outdoor plug&play system, a single driver is sufficient for multiple light points in the garden.

The Santini wall light completes the collection for a finished result.





santini


Santini is a wall light in white cement that directs light downwards.

The cement finish complements the Shitake, allowing both products to reinforce one another in a well-considered garden design.






4016520-01



TECHNICAL INFORMATION

Light source	Led chip included
Power	3 Watt (fixture)
Lumen	285 Lumen (fixture)
Light colour	2700K
Dimmable	No
Material	Aluminium + cement
Protection Class	IP65
Colour	 White cement





athmos

Athmos combines a modern rectangular post with a glass globe that spreads light softly in all directions.


Suitable as path lighting or as an accent anywhere in the garden.





4016515-02

1,9m 24V cable with easy connector included



TECHNICAL INFORMATION

Light source	Led chip included
Power	3 Watt (fixture)
Lumen	180 Lumen (fixture)
Light colour	2700K
Dimmable	No
Material	Aluminium + opal glass
Protection Class	IP65
Colour	 Matt black





cana

Cana is an exceptionally slender garden bollard that spreads light all around.

The fine line is barely noticeable in the garden, yet marks paths and borders in a subtle way.

Ideal as a repeating element along a path or amongst the planting.





4016514-02

1,9m 24V cable with easy connector included



TECHNICAL INFORMATION

Light source	Led chip included
Power	4 Watt (fixture)
Lumen	330 Lumen (fixture)
Light colour	2700K
Dimmable	No
Material	Aluminium + clear glass
Protection Class	IP65
Colour	 Matt black







enoki


Enoki is a slender garden bollard with a compact cylindrical head that spreads soft, indirect light downwards.

Atmospheric in the evening, ideal as path lighting or as a repeating element in a garden design.



4016512-02

1,3m 24V cable with easy connector included



TECHNICAL INFORMATION

Light source	Led chip included
Power	3 Watt (fixture)
Lumen	65 Lumen (fixture)
Light colour	2700K
Dimmable	No
Material	Aluminium + clear plexi
Protection Class	IP65
Colour	<div style="display: inline-block; width: 15px; height: 15px; background-color: black; margin-right: 5px;"></div> Matt black








shitake

Shitake is a slender garden bollard with a striking flat, wide head in white cement.


The soft, indirect downlight creates a calm atmosphere along paths or amongst the planting.

Combines perfectly with the Santini wall light for a cohesive garden design.



4016513-01

1,6m 24V cable with easy connector included



TECHNICAL INFORMATION

Light source	Led chip included
Power	3 Watt (fixture)
Lumen	65 Lumen (fixture)
Light colour	2700K
Dimmable	No
Material	Aluminium + cement
Protection Class	IP65
Colour	<div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: black; margin-right: 5px;"></div> <div style="width: 15px; height: 15px; background-color: #d3d3d3; margin-right: 5px; margin-left: 10px;"></div> Matt black / white cement </div>







xambo

Xambo is a directable pin spot on a narrow base, available in two sizes.

Use it to mark a path or accentuate a detail.



4016510-02



1,6m 24V cable with easy connector included



4016511-02


1,3m 24V cable with easy connector included





Sold with spike and base.

TECHNICAL INFORMATION

Light source	Led chip included
Power	3 Watt (fixture)
Lumen	170 Lumen (fixture)
Light colour	2700K
Dimmable	No
Material	Aluminium
Protection Class	IP65
Colour	 Matt black



accessories

for Athmos, Cana, Enoki, Xambo, Shitake Outdoor Plug & Play



4016500 Driver (ACTEC PW-60-24)
24V 60 Watt IP67
+ cable-connector included Plug & Play



4016501 24V extension cable 1000mm
Plug & Play XYM15 male & female

4016502 24V extension cable 3000mm
Plug & Play XYM15 male & female

4016503 24V extension cable 5000mm
Plug & Play XYM15 male & female



4016504 24V T-connection Plug & Play
1x male & 2x female

INDEX

3403560	16	4014076	136	4014356	48
3403561	15	4014079	135	4014357	49
3403562	14	4014080	134	4014358	47
3403563	17	4014081	136	4014359	46
3403565	18	4014084	135	4014360	38
3403566	19	4014090	137	4014361	39
3427091	114	4014091	137	4014362	40
3427091SQ	120	4014092	137	4014363	41
3427092	115	4014095	137	4014364	42
3427092SQ	121	4014096	137	4014365	46
3427093	116	4014097	137	4014366	48
3427093SQ	122	4014099	137	4014367	49
3427094	117	4014100	82	4014368	47
3427094SQ	123	4014100	137	4014369	50
3427101	114	4014101	82	4014500	149
3427101SQ	120	4014101	137	4014501	148
3427102	115	4014102	82	4014502	151
3427102SQ	121	4014102	137	4014505	149
3427103	116	4014104	82	4014506	148
3427103SQ	122	4014104	137	4014507	150
3427104	117	4014105	83	4014510	158
3427104SQ	123	4014106	83	4014511	159
3427105	118	4014107	168	4014515	158
3427105SQ	124	4014108	168	4014516	159
3427177	125	4014109	168	4014660	51
3427178	125	4014113	43	4014661	51
3427179	125	4014113	137	4014662	51
3427181	125	4014114	43	4014663	51
3427183	125	4014114	137	4014665	50
3427195	118	4014115	137	4014666	50
3427195SQ	124	4014116	137	4014667	50
3427205	125	4014117	82	4014673	52
3427206	125	4014117	137	4014674	52
3427207	125	4014118	134	4014675	52
3427208BR	125	4014119	135	4014676	52
3427208DG	125	4014120	140	4014677	52
3427208G	125	4014121	140	4014678	52
3432160	61	4014125	141	4014679	52
3432161	60	4014126	141	4014680	52
3432162	34	4014150	80	4014681	52
3432163	35	4014151	80	4014682	52
3432164	31	4014152	80	4014683	52
3432165	30	4014155	81	4014684	52
3432166	27	4014156	81	4014690	169
3432167	26	4014157	81	4014691	169
3432170	77	4014300	86	4014701-03	53
3432171	76	4014301	86	4014701-07	53
3432175	77	4014302	87	4014701-12	53
3432176	76	4014303	88	4014701-14	53
3432177	22	4014304	89	4014701-16	53
3432178	23	4014305	86	4014701-31	53
3432179	56	4014306	86	4014701-32	53
3432180	56	4014307	87	4014701-34	53
3432181	57	4014308	88	4014701-37	53
3432200	144	4014309	89	4014701-41	53
3432201	145	4014320	92	4014730B	100
3432205	144	4014321	93	4014730W	100
3432206	145	4014322	94	4014731B	101
3432215	72	4014323	95	4014731W	101
3435063	162	4014325	92	4014732B	102
3435064	163	4014326	93	4014732W	102
3435089	172	4014327	94	4014733B	103
3435110	8	4014328	95	4014733W	103
3435111	8	4014330	96	4014734B	110
3435112	8	4014331	97	4014734W	110
3435113	9	4014332	96	4014735B	104
3435114	9	4014333	97	4014735W	104
3435116	10	4014350	38	4014736B	105
3435118	11	4014351	39	4014736W	105
4014070	134	4014352	40	4014737B	109
4014071	136	4014353	41	4014737W	109
4014074	135	4014354	42	4014738B	108
4014075	134	4014355	46	4014738W	108

4014739BR	111	TR0111W	180	TR0210BR	180
4014739DG	111	TR0113B	180	TR0210BR	180
4014739G	111	TR0113W	180	TR0210DG	180
401475012B	188	TR0114B	180	TR0211	180
401475012BR	189	TR0114W	180	TR0212	181
401475012W	189	TR0115B	180	TR0213B	181
401475018B	188	TR0115W	180	TR0213BR	181
401475018BR	189	TR0116B	180	TR0213DG	181
401475018W	189	TR0116W	180	TR0213W	181
401475312-02	188	TR0120B	181	TR0214B	181
401475312-08	188	TR0120W	181	TR0214W	181
401475412-02	188	TR0123B	181	TR0215-03	179
401475412-08	188	TR0123W	181	TR0215-07	179
4016500	242	TR0131B	119	TR0215-12	179
4016501	242	TR0131W	119	TR0215-14	179
4016502	242	TR01361B	106	TR0215-16	179
4016503	242	TR01361B	191	TR0215-31	179
4016504	242	TR01361W	106	TR0215-32	179
4016510-02	240	TR01361W	191	TR0215-34	179
4016511-02	240	TR0142B	131	TR0215-37	179
4016512-02	232	TR0142W	131	TR0215-41	179
4016513-01	236	TR0142W	195	TR021612B	188
4016514-02	228	TR0143B	64	TR021612BR	189
4016515-02	224	TR0144B	66	TR021612W	189
4016520-01	220	TR0147B	185	TR021618B	188
4014800B	210	TR0147W	184	TR021618BR	189
4014800BR	210	TR0148B	166	TR021618W	189
4014800W	210	TR0148W	166	TR03000	201
4014801B	211	TR0149B	167	TR03001	201
4014801BR	211	TR0149W	167	TR03002	201
4014801W	211	TR0150B	44	TR0301B	198
4014802B	212	TR0150B	190	TR0301BR	198
4014802BR	212	TR0150BR	44	TR0301W	198
4014802W	212	TR0150BR	190	TR0302B	198
4014803B	213	TR0150W	44	TR0302BR	198
4014803BR	213	TR0150W	190	TR0302W	198
4014803W	213	TR0200B	180	TR0303B	198
8202420	130	TR0200BR	180	TR0303BR	198
8202421	130	TR0200DG	180	TR0303W	198
8202422	130	TR0200W	180	TR0304-01	200
8202423	130	TR0201B	180	TR0304-02	200
8202442	69	TR0201BR	180	TR0304-08	200
8202440-10	68	TR0201DG	180	TR0305-01	200
8202440-20	68	TR0201W	180	TR0305-02	200
8202440-36	68	TR0202B	180	TR0305-08	200
8202440-60	68	TR0202BR	180	TR0310-01	200
8202441-18	68	TR0202DG	180	TR0310-02	200
8202441-30	68	TR0202W	180	TR0311B	199
8202441-42	68	TR0203B	180	TR0311W	199
8202441-55	68	TR0203BR	180	TR0312B	198
8202441-B	68	TR0203DG	180	TR0312W	198
8202441-C	68	TR0203W	180	TR0313B	198
8202441-G	68	TR0204B	180	TR0313W	198
8202441-W	68	TR0204BR	180	TR0314B	199
8202443-15	69	TR0204DG	180	TR0314W	199
8202443-24	69	TR0204W	180	TR0315B	199
8202443-36	69	TR0205B	180	TR0315W	199
8202443-60	69	TR0205BR	180	TR0316B	199
8202443-B	69	TR0205DG	180	TR0316W	199
8202443-C	69	TR0205W	180	TR0318B	198
8202443-G	69	TR0206BR	180	TR0318W	198
8202443-W	69	TR0206BR	180	TR0320B	200
8202521	154	TR0206BR	180	TR0320W	200
8202522	155	TR0206DG	180	TR0323B	200
8203430	67	TR0207BR	180	TR0323W	200
8203431	65	TR0207BR	180	TR03241B	107
8203432	129	TR0207BR	180	TR03241W	107
8203433	128	TR0207DG	180	TR03243B	45
8205002	111	TR0208B	181	TR03243BR	45
8205011	111	TR0208W	181	TR03243W	45
8205012	111	TR0209B	181		
8205072	111	TR0209W	181		
TR0111B	180	TR0210BR	180		



premium collection

Designed in Belgium - www.fantasia.be
Torhoutsesteenweg 437, 8400 Oostende